



Canister ID: H 28 25

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: Paul on JUN 30 2017

Evacuated on: JUL 1 2017

Use within: 3 months of evacuation

Laboratory Contact Number: 780-632-8403

Sample ID: _____

Sampled By: _____

Starting Vacuum: _____

27.4 "Hg

End Vacuum: _____

5 "Hg/psig

Sample ID: 17080188-001

Customer ID: Three Creeks Project

Cust Samp ID: PRAMP_RENO_20170721

Priority: Normal

Sample ID: 17080188-001

Customer ID: Three Creeks Project

Cust Samp ID: PRAMP_RENO_20170721

Priority: Normal

WJGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECI

From: Michael & Lily <pramptech@prampairshed.ca>
Sent: August-16-17 5:33 PM
To: Anthony Traverse; Karla Reesor; Krista Gegolick
Subject: Re: Sample past hold time, and billing

Hi Krista,

Please proceed with the analysis and bill PRAMP Committee for all future canisters.

If you have other questions, please feel free to let us know

Thank you.

Lily

From: Anthony Traverse <Anthony.Traverse@baytexenergy.com>
Sent: August 16, 2017 4:34:00 PM
To: Michael & Lily; Karla Reesor
Subject: Fwd: Sample past hold time, and billing

FYI

Get Outlook for Android<<https://aka.ms/ghei36>>

----- Forwarded message -----

From: "Krista Gegolick" <Krista.Gegolick@innotechalberta.ca<mailto:Krista.Gegolick@innotechalberta.ca>>
Date: Wed, Aug 16, 2017 at 11:28 AM -0600
Subject: Sample past hold time, and billing
To: "Anthony Traverse" <Anthony.Traverse@baytexenergy.com<mailto:Anthony.Traverse@baytexenergy.com>>

EXTERNAL SENDER. Do not open links or attachments that are unexpected. Do not give out User IDs or Passwords.

Hi Anthony,

We received your sample today (see attached COC), but it was past the hold time for analysis. Could you please confirm if you would still like the sample tested.

I would also like to confirm the billing with you. We have the option to bill PRAMP Committee, or should the bill client stay as you (Baytext Energy)?

Thanks

Krista

Sample ID: 17080188-001

Customer ID: Three Creeks Project

Cust Samp ID: PRAMP_RENO_20170721

Priority: Normal

IGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECI

From: Anthony Traverse <Anthony.Traverse@baytexenergy.com>
Sent: August-16-17 4:34 PM
To: Krista Gegolick
Cc: Michael & Lily; Karla Reesor
Subject: Re: Sample past hold time, and billing
Attachments: image001.png

This should be billed to the **PRAMP Airshed**, as this canister occurred while they are managing the trailer.

Get Outlook for Android<<https://aka.ms/ghei36>>

On Wed, Aug 16, 2017 at 11:28 AM -0600, "Krista Gegolick"
<Krista.Gegolick@innotechalberta.ca<<mailto:Krista.Gegolick@innotechalberta.ca>>> wrote:

EXTERNAL SENDER. Do not open links or attachments that are unexpected. Do not give out User IDs or Passwords.

Hi Anthony,

We received your sample today (see attached COC), but it was past the hold time for analysis. Could you please confirm if you would still like the sample tested.

I would also like to confirm the billing with you. We have the option to bill PRAMP Committee, or should the bill client stay as you (Baytext Energy)?

Thanks

Krista

[[cid:image001.png@01D31682.BE9A9E40](#)]

Krista Gegolick
Environmental Analytical Services - Sample Reception

780-632-8441 Office

780-275-2755 Cell

780-632-8620 Fax

Krista.Gegolick@innotechalberta.ca<<mailto:Krista.Gegolick@innotechalberta.ca>>

Highway 16A & 75 Street | Vegreville | Alberta | T9C 1T4