



Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

**Sample ID:** 19010213-001  
**Customer ID:** PRAMP  
**Cust Samp ID:** PRAMP\_RENO-BLANK  
**Priority:** Normal

Date Received - Lab Use Only  
**RECEIVED**  
**JAN 22 2019**

**Client Contact Details:**

**Contact:** Karla Ressor, Michael Bisaga/ Lily Lin  
**Company:** PRAMP Airshed  
**PO#:**  842 Station  986 Station  Reno Station  
**Address:**  842 (Lat. 56.27406N, Long. 116.98129W)  
 986 (Lat. 56.376056N, Long. 116.940704W)  
 Reno (Lat. 55.86936N, Long. 117.05739W)  
**Telephone:** 403-8072995, 780-2667068/587-2252248  
**Email:** karla@prampairshed.ca, pramptech@prampairshed.ca

**RUSH (Surcharge)**  \* See e-mail.

**Invoice Instructions:**  
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
 pramptech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to karla@prampairshed.ca  
 and pramptech@prampairshed.ca

**InnoTech Contact:** Graham Knox Phone: 780-6328403 Cell: 780-6321519  
**Email:** Graham.Knox@innotechalberta.ca

Sample ID (PRAMP_station_yyyymmdd)	Canister Number	Sample Description	Date/Time Sampled		Analysis Requested
			Date (dd/mm/yy)	Time (24 Hr) (MST)	
PRAMP_842- (Sample date: yyyymmdd)		<input checked="" type="checkbox"/> Methane Trigger			* AIR C1C4, AIR VOC, AIR RSC * Unknown to be reported
PRAMP_986- (Sample date: yyyymmdd)	28908	<input type="checkbox"/> NMHC Trigger	n/a	n/a	* Carbon Isotopic Analysis (if sample is collected from Methane trigger)
PRAMP_Reno- (Sample date: yyyymmdd)	BLANK				

**Sample Collection:**

**Collect By:** CSJ (Name) of MAXXAM (Company) on 18 Jan 2019 16:10 (Date/Time (MST)).



Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

**Sample ID: 19010213-002**  
 Customer ID: PRAMP  
 Cust Samp ID: PRAMP\_RENO-20190118  
 Priority: Normal

Date Received - Lab Use Only  
**RECEIVED**  
**JAN 22 2019**

**Client Contact Details:**

Contact: Karla Ressor, Michael Bisaga/Lily Lin  
 Company: PRAMP Airshed  
 PO#:  842 Station  986 Station  Reno Station  
 Address:  842 (Lat. 56.27406N, Long. 116.98129W)  
 986 (Lat. 56.376056N, Long. 116.940704W)  
 Reno (Lat. 55.86936N, Long. 117.05739W)  
 Telephone: 403-8072995, 780-2667068/587-2252248  
 Email: karla@prampairshed.ca, pramptech@prampairshed.ca

**RUSH (Surcharge)**

Invoice Instructions:  
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca, pramptech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to karla@prampairshed.ca and pramptech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519  
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP_statom_yyyyymmdd)	Canister Number	Sample Description	Date/Time Sampled		Analysis Requested
			From	To	
PRAMP_842- (Sample date: yyyyymmdd)		<input checked="" type="checkbox"/> Methane Trigger	18/01/2019 14:05	18/01/2019 15:05	* AIR C1C4, AIR VOC, AIR RSC * Unknown to be reported * Carbon Isotopic Analysis (if sample is collected from Methane trigger)
PRAMP_986- (Sample date: yyyyymmdd)		<input type="checkbox"/> NMHC Trigger			
PRAMP_Reno- <u>20190118</u> (Sample date: yyyyymmdd)					

Sample Collection:

Collect By: [Signature] (Name) of MAX KAN (Company) on 01/18/19 @ 16:00 (Date/Time (MST)).

Sample ID: 19010213-001

Customer ID: PRAMP

Cust Samp ID: PRAMP\_RENO-BLANK

Priority: Normal

---

**From:** Christopher Wesson <CWesson@maxxam.ca>  
**Sent:** January-21-19 1:47 PM  
**To:** Environmental Analytical Services Reception  
**Cc:** Wunmi ADEKANMBI; Robert Fisher  
**Subject:** canister 28882, sample PRAMP-RENO-20190118

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

Hi Jessica,

The above can/sample was sent by Purolater today.

The CofC states it's a Methane trigger so carbon isotope analysis should be performed.

For this background sample, the client has requested that carbon isotope analysis is NOT performed.

Can you please make a note of this for when you book this sample in?

Thanks,

Chris

**CHRISTOPHER WESSON**

Senior Project Manager, Ambient Air Services

Mobile 780-446-2724

9372 49St NW, Edmonton AB, T6B 2L7

---

**Maxxam Analytics** - A Bureau Veritas Group Company

Success Through Science®. [maxxam.ca](http://maxxam.ca)

The information in this e-mail and any attachments is confidential and for the sole use of the intended recipient(s). If you have received this e-mail in error, please: accept our apologies for the inconvenience; note that any use of the information is strictly prohibited; notify the sender as soon as possible; and then delete all copies from your system.



Canister ID: 28908

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: DOSY on NOV 30 2018

Evacuated on: DEC 04 2018

Use within: 3 months of evacuation

Laboratory Contact Number: 780-632-8403

Sample ID: PRAMP-RENO-BLANK

Sampled By: [Signature]

Starting Vacuum:

-27.3 "Hg"

End Vacuum:

~~-27~~ "Hg/psig" -27

Sample ID: 19010213-001

Customer ID: PRAMP

Cust Samp ID: PRAMP\_RENO-BLANK

Priority: Normal



Canister ID: 28882

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: DCSM on NOV 02 2018

Evacuated on: NOV 05 2018

Use within: 3 months of evacuation

Laboratory Contact Number: 780-632-8403

Sample ID: PRAMP-RENO-20190118

(Background)

Sampled By: [Signature]

Starting Vacuum:

-20.5 "Hg.

End Vacuum:

-5 "Hg/psig  
KG -3

Sample ID: 19010213-002

Customer ID: PRAMP

Cust Samp ID: PRAMP\_RENO-20190118

Priority: Normal