



PO Bag 4000
 Vegreville, Alberta
 Canada T9C 1T4
 (780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

<p>RESULTS: Karla Reesor 403 807 2995 Peace River Area Monitoring Program Committee</p> <p>INVOICE: Office Manager</p>	<table border="0" style="width: 100%;"> <tr> <td style="width: 33%;">CLIENT SAMPLE ID</td> <td style="width: 33%;">CANISTER ID</td> <td style="width: 33%;">Matrix</td> <td style="width: 33%;">Priority</td> </tr> <tr> <td>PRAMP_986-20190220</td> <td>28892</td> <td>Ambient Air</td> <td>Normal</td> </tr> <tr> <td colspan="4">DESCRIPTION:</td> </tr> <tr> <td>DATE SAMPLED:</td> <td>20-Feb-19 17:55</td> <td>DATE RECEIVED:</td> <td>26-Feb-19</td> </tr> <tr> <td>REPORT CREATED:</td> <td>12-Mar-19</td> <td>REPORT NUMBER:</td> <td>19020193</td> </tr> <tr> <td></td> <td></td> <td>VERSION:</td> <td>Version 01</td> </tr> </table>	CLIENT SAMPLE ID	CANISTER ID	Matrix	Priority	PRAMP_986-20190220	28892	Ambient Air	Normal	DESCRIPTION:				DATE SAMPLED:	20-Feb-19 17:55	DATE RECEIVED:	26-Feb-19	REPORT CREATED:	12-Mar-19	REPORT NUMBER:	19020193			VERSION:	Version 01
CLIENT SAMPLE ID	CANISTER ID	Matrix	Priority																						
PRAMP_986-20190220	28892	Ambient Air	Normal																						
DESCRIPTION:																									
DATE SAMPLED:	20-Feb-19 17:55	DATE RECEIVED:	26-Feb-19																						
REPORT CREATED:	12-Mar-19	REPORT NUMBER:	19020193																						
		VERSION:	Version 01																						

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19020193-001	1-Butene	K, T, U	< 0.14 ppmv	0.14	NA-025	27-Feb-19
19020193-001	Acetylene	K, T, U	< 0.11 ppmv	0.11	NA-025	27-Feb-19
19020193-001	n-Butane	K, T, U	< 0.3 ppmv	0.3	NA-025	27-Feb-19
19020193-001	cis-2-Butene	K, T, U	< 0.05 ppmv	0.05	NA-025	27-Feb-19
19020193-001	Ethane	K, T, U	< 0.1 ppmv	0.1	NA-025	27-Feb-19
19020193-001	Ethylacetylene	K, T, U	< 0.08 ppmv	0.08	NA-025	27-Feb-19
19020193-001	Ethylene	K, T, U	< 0.10 ppmv	0.10	NA-025	27-Feb-19
19020193-001	Isobutane	K, T, U	< 0.1 ppmv	0.1	NA-025	27-Feb-19
19020193-001	Isobutylene	K, T, U	< 0.1 ppmv	0.1	NA-025	27-Feb-19
19020193-001	Methane		2.2 ppmv	0.1	NA-025	27-Feb-19
19020193-001	n-Propane	K, T, U	< 0.10 ppmv	0.10	NA-025	27-Feb-19
19020193-001	Propylene	K, T, U	< 0.1 ppmv	0.1	NA-025	27-Feb-19
19020193-001	Propyne	K, T, U	< 0.1 ppmv	0.1	NA-025	27-Feb-19
19020193-001	trans-2-Butene	K, T, U	< 0.12 ppmv	0.12	NA-025	27-Feb-19
19020193-001	2,5-Dimethylthiophene	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19
19020193-001	2-Ethylthiophene	K, T, U	< 0.3 ppbv	0.3	NA-024	26-Feb-19
19020193-001	2-Methylthiophene	K, T, U	< 0.3 ppbv	0.3	NA-024	26-Feb-19
19020193-001	3-Methylthiophene	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19

CLIENT SAMPLE ID PRAMP_986-20190220	CANISTER ID 28892	Matrix Ambient Air	DATE SAMPLED 20-Feb-19 17:55
DESCRIPTION:			
REPORT NUMBER: 19020193	REPORT CREATED: 12-Mar-19	VERSION: Version 01	

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19020193-001	Butyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19
19020193-001	Carbon disulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	26-Feb-19
19020193-001	Carbonyl sulphide		4.1 ppbv	0.4	NA-024	26-Feb-19
19020193-001	Dimethyl disulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	26-Feb-19
19020193-001	Dimethyl sulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	26-Feb-19
19020193-001	Ethyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19
19020193-001	Ethyl sulphide	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19
19020193-001	Hydrogen sulphide		2.1 ppbv	0.1	NA-024	26-Feb-19
19020193-001	Isobutyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19
19020193-001	Isopropyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19
19020193-001	Methyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	26-Feb-19
19020193-001	Pentyl mercaptan	K, T, U	< 0.5 ppbv	0.5	NA-024	26-Feb-19
19020193-001	Propyl mercaptan	K, T, U	< 0.5 ppbv	0.5	NA-024	26-Feb-19
19020193-001	tert-Butyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	26-Feb-19
19020193-001	Thiophene	K, T, U	< 0.3 ppbv	0.3	NA-024	26-Feb-19
19020193-001	1,1,1-Trichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1,1,2,2-Tetrachloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1,1,2-Trichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1,1-Dichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1,1-Dichloroethylene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	1,2,3-Trimethylbenzene	K, T, U	< 0.07 ppbv	0.07	AC-058	05-Mar-19
19020193-001	1,2,4-Trichlorobenzene	K, T, U	< 1.1 ppbv	1.1	AC-058	05-Mar-19
19020193-001	1,2,4-Trimethylbenzene	K, T, U	< 0.07 ppbv	0.07	AC-058	05-Mar-19
19020193-001	1,2-Dibromoethane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1,2-Dichlorobenzene	K, T, U	< 0.04 ppbv	0.04	AC-058	05-Mar-19

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: March 12, 2019

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_986-20190220	28892	Ambient Air	20-Feb-19 17:55
DESCRIPTION:			
REPORT NUMBER:	19020193	REPORT CREATED:	12-Mar-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19020193-001	1,2-Dichloroethane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	1,2-Dichloropropane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	1,3,5-Trimethylbenzene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1,3-Butadiene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1,3-Dichlorobenzene	K, T, U	< 0.4 ppbv	0.4	AC-058	05-Mar-19
19020193-001	1,4-Dichlorobenzene	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	1,4-Dioxane	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	1-Butene/Isobutylene		0.40 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	1-Pentene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	2,2,4-Trimethylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	2,2-Dimethylbutane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	2,3,4-Trimethylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	2,3-Dimethylbutane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	2,3-Dimethylpentane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	2,4-Dimethylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	2-Methylheptane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	2-Methylhexane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	2-Methylpentane		0.05 ppbv	0.01	AC-058	05-Mar-19
19020193-001	3-Methylheptane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	3-Methylhexane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	3-Methylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Acetone		3.6 ppbv	0.5	AC-058	05-Mar-19
19020193-001	Acrolein	K, T, U	< 0.4 ppbv	0.4	AC-058	05-Mar-19
19020193-001	Benzene		0.19 ppbv	0.01	AC-058	05-Mar-19

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: March 12, 2019

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID PRAMP_986-20190220	CANISTER ID 28892	Matrix Ambient Air	DATE SAMPLED 20-Feb-19 17:55
DESCRIPTION:			
REPORT NUMBER: 19020193	REPORT CREATED: 12-Mar-19	VERSION: Version 01	

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19020193-001	Benzyl chloride	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	Bromodichloromethane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Bromoform	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Bromomethane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Carbon disulfide	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Carbon tetrachloride	I	0.06 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Chlorobenzene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Chloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Chloroform	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Chloromethane		0.47 ppbv	0.03	AC-058	05-Mar-19
19020193-001	cis-1,2-Dichloroethene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	cis-1,3-Dichloropropene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	cis-2-Butene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	cis-2-Pentene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Cyclohexane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Cyclopentane		0.08 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Dibromochloromethane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Ethanol		1.8 ppbv	0.4	AC-058	05-Mar-19
19020193-001	Ethyl acetate	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	Ethylbenzene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Freon-11	I	0.25 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Freon-113	I	0.04 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Freon-114	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Freon-12		0.46 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Hexachloro-1,3-butadiene	K, T, U	< 0.68 ppbv	0.68	AC-058	05-Mar-19

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: March 12, 2019

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_986-20190220	28892	Ambient Air	20-Feb-19 17:55
DESCRIPTION:			
REPORT NUMBER: 19020193	REPORT CREATED: 12-Mar-19	VERSION: Version 01	

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19020193-001	Isobutane		0.45 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Isopentane		0.23 ppbv	0.04	AC-058	05-Mar-19
19020193-001	Isoprene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Isopropyl alcohol	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	Isopropylbenzene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	m,p-Xylene	K, T, U	< 0.04 ppbv	0.04	AC-058	05-Mar-19
19020193-001	m-Diethylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	m-Ethyltoluene	K, T, U	< 0.11 ppbv	0.11	AC-058	05-Mar-19
19020193-001	Methyl butyl ketone	K, T, U	< 0.68 ppbv	0.68	AC-058	05-Mar-19
19020193-001	Methyl ethyl ketone	K, T, U	< 0.4 ppbv	0.4	AC-058	05-Mar-19
19020193-001	Methyl isobutyl ketone	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	Methyl methacrylate	K, T, U	< 0.10 ppbv	0.10	AC-058	05-Mar-19
19020193-001	Methyl tert butyl ether	K, T, U	< 0.04 ppbv	0.04	AC-058	05-Mar-19
19020193-001	Methylcyclohexane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	Methylcyclopentane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Methylene chloride	K, T, U	< 0.4 ppbv	0.4	AC-058	05-Mar-19
19020193-001	n-Butane		0.64 ppbv	0.04	AC-058	05-Mar-19
19020193-001	n-Decane	K, T, U	< 0.08 ppbv	0.08	AC-058	05-Mar-19
19020193-001	n-Dodecane	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	n-Heptane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	n-Hexane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	n-Octane	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	n-Pentane		0.3 ppbv	0.1	AC-058	05-Mar-19
19020193-001	n-Propylbenzene	K, T, U	< 0.07 ppbv	0.07	AC-058	05-Mar-19
19020193-001	n-Undecane	K, T, U	< 0.7 ppbv	0.7	AC-058	05-Mar-19

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: March 12, 2019

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_986-20190220	28892	Ambient Air	20-Feb-19 17:55
DESCRIPTION:			
REPORT NUMBER: 19020193	REPORT CREATED: 12-Mar-19	VERSION: Version 01	

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19020193-001	Naphthalene	K, T, U	< 0.7 ppbv	0.7	AC-058	05-Mar-19
19020193-001	n-Nonane	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	o-Ethyltoluene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	o-Xylene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	p-Diethylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	p-Ethyltoluene	K, T, U	< 0.10 ppbv	0.10	AC-058	05-Mar-19
19020193-001	Styrene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	Tetrachloroethylene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	Tetrahydrofuran	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	Toluene		0.20 ppbv	0.01	AC-058	05-Mar-19
19020193-001	trans-1,2-Dichloroethylene		0.64 ppbv	0.01	AC-058	05-Mar-19
19020193-001	trans-1,3-Dichloropropylene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	trans-2-Butene	K, T, U	< 0.01 ppbv	0.01	AC-058	05-Mar-19
19020193-001	trans-2-Pentene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19
19020193-001	Trichloroethylene	K, T, U	< 0.05 ppbv	0.05	AC-058	05-Mar-19
19020193-001	Vinyl acetate	K, T, U	< 0.5 ppbv	0.5	AC-058	05-Mar-19
19020193-001	Vinyl chloride	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Mar-19



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Revision History

Order ID	Ver	Date	Reason
19020193	01	12-Mar-19	Report created



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 8 of 12

Methods

Method	Description
AC-058	Determination of Volatile Organic Compounds in Ambient Air by Gas Chromatography Mass Spectrometry
NA-024	Analysis for Reduced Sulfur Compounds in Air Samples
NA-025	Determination of Light Hydrocarbons (C1C4) in Ambient Air by Gas Chromatography Flame Ionization Detector

Qualifiers

Data Qualifier Translation

B	Blank contamination; Analyte detected above the method reporting limit in an associated blank
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
J1	Reported value is estimated; Surrogate recoveries limits were exceeded
J2	Reported value is estimated; No known QC criteria for this component
J3	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
J4	Reported value is estimated; The sample matrix interfered with the analysis
K	Off-scale low. Actual value is known to be less than the value given
L	Off-scale high. Actual value is known to be greater than value given
N	Non-target analyte; Tentatively identified compound (using mass spectroscopy)
Q	Sample held beyond the accepted holding time
R	Rejected data; Not suitable for the projects intended use
T	Value reported is less than the laboratory method detection limit
U	Compound was analyzed for but not detected
V	Analyte was detected in both the sample and the associated method blank



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 10 of 12

Order Comments

19020193

Send results to Pramptech. Unknowns to be reported.



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 11 of 12

Sample Comments



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 12 of 12

Result Comments

Note: Results relate only to items tested