



PO Bag 4000
 Vegreville, Alberta
 Canada T9C 1T4
 (780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

| | | | | | |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------|-----------------------------|---------------------------------|---------------------------|
| RESULTS: Karla Reesor Peace River Area Monitoring Program Committee INVOICE: Office Manager | 403 807 2995 | CLIENT SAMPLE ID PRAMP_Reno-20190329 | CANISTER ID 29007 | Matrix Ambient Air | Priority Normal |
| | DESCRIPTION: Methane Trigger | | | | |
| | | DATE SAMPLED: 29-Mar-19 | 18:00 | DATE RECEIVED: 02-Apr-19 | |
| | | REPORT CREATED: 12-Apr-19 | | REPORT NUMBER: 19040004 | |
| | | | | VERSION: Version 01 | |

| Lab ID | Parameter | Qualifier | Result | Units | RDL | Method | Analysis Date |
|--------------|-----------------------|-----------|--------|-------|------|--------|---------------|
| 19040004-001 | 1-Butene | K, T, U | < 0.15 | ppmv | 0.15 | NA-025 | 05-Apr-19 |
| 19040004-001 | Acetylene | K, T, U | < 0.12 | ppmv | 0.12 | NA-025 | 05-Apr-19 |
| 19040004-001 | n-Butane | K, T, U | < 0.3 | ppmv | 0.3 | NA-025 | 05-Apr-19 |
| 19040004-001 | cis-2-Butene | K, T, U | < 0.06 | ppmv | 0.06 | NA-025 | 05-Apr-19 |
| 19040004-001 | Ethane | K, T, U | < 0.2 | ppmv | 0.2 | NA-025 | 05-Apr-19 |
| 19040004-001 | Ethylacetylene | K, T, U | < 0.09 | ppmv | 0.09 | NA-025 | 05-Apr-19 |
| 19040004-001 | Ethylene | K, T, U | < 0.11 | ppmv | 0.11 | NA-025 | 05-Apr-19 |
| 19040004-001 | Isobutane | K, T, U | < 0.2 | ppmv | 0.2 | NA-025 | 05-Apr-19 |
| 19040004-001 | Isobutylene | K, T, U | < 0.2 | ppmv | 0.2 | NA-025 | 05-Apr-19 |
| 19040004-001 | Methane | | 2.3 | ppmv | 0.2 | NA-025 | 05-Apr-19 |
| 19040004-001 | n-Propane | K, T, U | < 0.11 | ppmv | 0.11 | NA-025 | 05-Apr-19 |
| 19040004-001 | Propylene | K, T, U | < 0.2 | ppmv | 0.2 | NA-025 | 05-Apr-19 |
| 19040004-001 | Propyne | K, T, U | < 0.2 | ppmv | 0.2 | NA-025 | 05-Apr-19 |
| 19040004-001 | trans-2-Butene | K, T, U | < 0.14 | ppmv | 0.14 | NA-025 | 05-Apr-19 |
| 19040004-001 | 2,5-Dimethylthiophene | K, T, U | < 0.5 | ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | 2-Ethylthiophene | K, T, U | < 0.3 | ppbv | 0.3 | NA-024 | 03-Apr-19 |
| 19040004-001 | 2-Methylthiophene | K, T, U | < 0.3 | ppbv | 0.3 | NA-024 | 03-Apr-19 |
| 19040004-001 | 3-Methylthiophene | K, T, U | < 0.5 | ppbv | 0.5 | NA-024 | 03-Apr-19 |

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: April-12-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca



PO Bag 4000
 Vegreville, Alberta
 Canada T9C 1T4
 (780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

| | | | |
|-------------------------|--------------------|------------------------|----------------------------|
| CLIENT SAMPLE ID | CANISTER ID | Matrix | DATE SAMPLED |
| PRAMP_Reno-20190329 | 29007 | Ambient Air | 29-Mar-19 18:00 |
| DESCRIPTION: | Methane Trigger | | |
| REPORT NUMBER: | 19040004 | REPORT CREATED: | 12-Apr-19 |
| | | | VERSION: Version 01 |

| Lab ID | Parameter | Qualifier | Result Units | RDL | Method | Analysis Date |
|--------------|---------------------------|-----------|--------------|------|--------|---------------|
| 19040004-001 | Butyl mercaptan | K, T, U | < 0.5 ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | Carbon disulphide | K, T, U | < 0.3 ppbv | 0.3 | NA-024 | 03-Apr-19 |
| 19040004-001 | Carbonyl sulphide | | 1.2 ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | Dimethyl disulphide | K, T, U | < 0.3 ppbv | 0.3 | NA-024 | 03-Apr-19 |
| 19040004-001 | Dimethyl sulphide | K, T, U | < 0.3 ppbv | 0.3 | NA-024 | 03-Apr-19 |
| 19040004-001 | Ethyl mercaptan | K, T, U | < 0.5 ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | Ethyl sulphide | K, T, U | < 0.5 ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | Hydrogen sulphide | | 2.2 ppbv | 0.2 | NA-024 | 03-Apr-19 |
| 19040004-001 | Isobutyl mercaptan | K, T, U | < 0.5 ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | Isopropyl mercaptan | K, T, U | < 0.5 ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | Methyl mercaptan | K, T, U | < 0.3 ppbv | 0.3 | NA-024 | 03-Apr-19 |
| 19040004-001 | Pentyl mercaptan | K, T, U | < 0.6 ppbv | 0.6 | NA-024 | 03-Apr-19 |
| 19040004-001 | Propyl mercaptan | K, T, U | < 0.6 ppbv | 0.6 | NA-024 | 03-Apr-19 |
| 19040004-001 | tert-Butyl mercaptan | K, T, U | < 0.5 ppbv | 0.5 | NA-024 | 03-Apr-19 |
| 19040004-001 | Thiophene | K, T, U | < 0.3 ppbv | 0.3 | NA-024 | 03-Apr-19 |
| 19040004-001 | 1,1,1-Trichloroethane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,1,2,2-Tetrachloroethane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,1,2-Trichloroethane | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,1-Dichloroethane | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,1-Dichloroethylene | K, T, U | < 0.06 ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,2,3-Trimethylbenzene | K, T, U | < 0.08 ppbv | 0.08 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,2,4-Trichlorobenzene | K, T, U | < 1.2 ppbv | 1.2 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,2,4-Trimethylbenzene | K, T, U | < 0.08 ppbv | 0.08 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,2-Dibromoethane | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,2-Dichlorobenzene | K, T, U | < 0.05 ppbv | 0.05 | AC-058 | 04-Apr-19 |

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: April-12-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

| | | | |
|-------------------------|--------------------|------------------------|----------------------------|
| CLIENT SAMPLE ID | CANISTER ID | Matrix | DATE SAMPLED |
| PRAMP_Reno-20190329 | 29007 | Ambient Air | 29-Mar-19 18:00 |
| DESCRIPTION: | Methane Trigger | | |
| REPORT NUMBER: | 19040004 | REPORT CREATED: | 12-Apr-19 |
| | | | VERSION: Version 01 |

| Lab ID | Parameter | Qualifier | Result Units | RDL | Method | Analysis Date |
|--------------|-----------------------------|-----------|--------------|------|--------|---------------|
| 19040004-001 | 1,2-Dichloroethane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,2-Dichloropropane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,3,5-Trimethylbenzene | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,3-Butadiene | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,3-Dichlorobenzene | K, T, U | < 0.5 ppbv | 0.5 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,4-Dichlorobenzene | K, T, U | < 0.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1,4-Dioxane | K, T, U | < 0.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1-Butene/Isobutylene | | 0.48 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1-Hexene/2-Methyl-1-pentene | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 1-Pentene | | 0.04 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2,2,4-Trimethylpentane | | 0.03 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2,2-Dimethylbutane | | 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2,3,4-Trimethylpentane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2,3-Dimethylbutane | | 0.04 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2,3-Dimethylpentane | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2,4-Dimethylpentane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2-Methylheptane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2-Methylhexane | | 0.14 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 2-Methylpentane | | 0.14 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | 3-Methylheptane | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 3-Methylhexane | | 0.13 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | 3-Methylpentane | | 0.14 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Acetone | | 2.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | Acrolein | K, T, U | < 0.5 ppbv | 0.5 | AC-058 | 04-Apr-19 |
| 19040004-001 | Benzene | | 0.20 ppbv | 0.02 | AC-058 | 04-Apr-19 |

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: April-12-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

| | | | | |
|-------------------------|--------------------|------------------------|---------------------|----------------------------|
| CLIENT SAMPLE ID | CANISTER ID | Matrix | DATE SAMPLED | |
| PRAMP_Reno-20190329 | 29007 | Ambient Air | 29-Mar-19 | 18:00 |
| DESCRIPTION: | Methane Trigger | | | |
| REPORT NUMBER: | 19040004 | REPORT CREATED: | 12-Apr-19 | VERSION: Version 01 |

| Lab ID | Parameter | Qualifier | Result | Units | RDL | Method | Analysis Date |
|--------------|--------------------------|-----------|--------|-------|------|--------|---------------|
| 19040004-001 | Benzyl chloride | K, T, U | < 0.6 | ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | Bromodichloromethane | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Bromoform | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Bromomethane | I | 0.08 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Carbon disulfide | K, T, U | < 0.02 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Carbon tetrachloride | I | 0.23 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Chlorobenzene | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Chloroethane | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Chloroform | I | 0.07 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Chloromethane | | 0.58 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | cis-1,2-Dichloroethene | K, T, U | < 0.02 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | cis-1,3-Dichloropropene | K, T, U | < 0.06 | ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | cis-2-Butene | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | cis-2-Pentene | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Cyclohexane | | 0.14 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Cyclopentane | | 6.85 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Dibromochloromethane | K, T, U | < 0.02 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Ethanol | | 1.9 | ppbv | 0.5 | AC-058 | 04-Apr-19 |
| 19040004-001 | Ethyl acetate | K, T, U | < 0.6 | ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | Ethylbenzene | K, T, U | < 0.02 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Freon-11 | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Freon-113 | K, T, U | < 0.02 | ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Freon-114 | K, T, U | < 0.03 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Freon-12 | I | 0.25 | ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Hexachloro-1,3-butadiene | K, T, U | < 0.76 | ppbv | 0.76 | AC-058 | 04-Apr-19 |

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: April-12-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

| | | | |
|-------------------------|--------------------|------------------------|----------------------------|
| CLIENT SAMPLE ID | CANISTER ID | Matrix | DATE SAMPLED |
| PRAMP_Reno-20190329 | 29007 | Ambient Air | 29-Mar-19 18:00 |
| DESCRIPTION: | Methane Trigger | | |
| REPORT NUMBER: | 19040004 | REPORT CREATED: | 12-Apr-19 |
| | | | VERSION: Version 01 |

| Lab ID | Parameter | Qualifier | Result Units | RDL | Method | Analysis Date |
|--------------|-------------------------|-----------|--------------|------|--------|---------------|
| 19040004-001 | Isobutane | | 0.40 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Isopentane | | 0.69 ppbv | 0.05 | AC-058 | 04-Apr-19 |
| 19040004-001 | Isoprene | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Isopropyl alcohol | K, T, U | < 0.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | Isopropylbenzene | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | m,p-Xylene | | 0.05 ppbv | 0.05 | AC-058 | 04-Apr-19 |
| 19040004-001 | m-Diethylbenzene | K, T, U | < 0.06 ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | m-Ethyltoluene | K, T, U | < 0.12 ppbv | 0.12 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methyl butyl ketone | K, T, U | < 0.76 ppbv | 0.76 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methyl ethyl ketone | K, T, U | < 0.5 ppbv | 0.5 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methyl isobutyl ketone | K, T, U | < 0.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methyl methacrylate | K, T, U | < 0.11 ppbv | 0.11 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methyl tert butyl ether | K, T, U | < 0.05 ppbv | 0.05 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methylcyclohexane | | 0.05 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methylcyclopentane | | 0.20 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Methylene chloride | K, T, U | < 0.5 ppbv | 0.5 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Butane | | 0.65 ppbv | 0.05 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Decane | K, T, U | < 0.09 ppbv | 0.09 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Dodecane | K, T, U | < 0.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Heptane | | 0.47 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Hexane | | 0.31 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Octane | | 0.09 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Pentane | | 0.3 ppbv | 0.2 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Propylbenzene | K, T, U | < 0.08 ppbv | 0.08 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Undecane | K, T, U | < 0.8 ppbv | 0.8 | AC-058 | 04-Apr-19 |

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: April-12-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

| | | | |
|-------------------------|--------------------|------------------------|----------------------------|
| CLIENT SAMPLE ID | CANISTER ID | Matrix | DATE SAMPLED |
| PRAMP_Reno-20190329 | 29007 | Ambient Air | 29-Mar-19 18:00 |
| DESCRIPTION: | Methane Trigger | | |
| REPORT NUMBER: | 19040004 | REPORT CREATED: | 12-Apr-19 |
| | | | VERSION: Version 01 |

| Lab ID | Parameter | Qualifier | Result Units | RDL | Method | Analysis Date |
|--------------|-----------------------------|-----------|--------------|------|--------|---------------|
| 19040004-001 | Naphthalene | K, T, U | < 0.8 ppbv | 0.8 | AC-058 | 04-Apr-19 |
| 19040004-001 | n-Nonane | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | o-Ethyltoluene | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | o-Xylene | | 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | p-Diethylbenzene | K, T, U | < 0.06 ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | p-Ethyltoluene | K, T, U | < 0.11 ppbv | 0.11 | AC-058 | 04-Apr-19 |
| 19040004-001 | Styrene | K, T, U | < 0.06 ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | Tetrachloroethylene | K, T, U | < 0.06 ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | Tetrahydrofuran | K, T, U | < 0.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | Toluene | | 1.74 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | trans-1,2-Dichloroethylene | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | trans-1,3-Dichloropropylene | K, T, U | < 0.06 ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | trans-2-Butene | K, T, U | < 0.02 ppbv | 0.02 | AC-058 | 04-Apr-19 |
| 19040004-001 | trans-2-Pentene | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |
| 19040004-001 | Trichloroethylene | K, T, U | < 0.06 ppbv | 0.06 | AC-058 | 04-Apr-19 |
| 19040004-001 | Vinyl acetate | K, T, U | < 0.6 ppbv | 0.6 | AC-058 | 04-Apr-19 |
| 19040004-001 | Vinyl chloride | K, T, U | < 0.03 ppbv | 0.03 | AC-058 | 04-Apr-19 |



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Revision History

| Order ID | Ver | Date | Reason |
|----------|-----|-----------|----------------|
| 19040004 | 01 | 12-Apr-19 | Report created |

Methods

| Method | Description |
|---------------|-----------------------------------------------------------------------------------------------------------|
| AC-058 | Determination of Volatile Organic Compounds in Ambient Air by Gas Chromatography Mass Spectrometry |
| NA-024 | Analysis for Reduced Sulfur Compounds in Air Samples |
| NA-025 | Determination of Light Hydrocarbons (C1C4) in Ambient Air by Gas Chromatography Flame Ionization Detector |

Qualifiers

Data Qualifier Translation

| | |
|----|---------------------------------------------------------------------------------------------------------------------|
| B | Blank contamination; Analyte detected above the method reporting limit in an associated blank |
| I | The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit |
| J1 | Reported value is estimated; Surrogate recoveries limits were exceeded |
| J2 | Reported value is estimated; No known QC criteria for this component |
| J3 | Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy |
| J4 | Reported value is estimated; The sample matrix interfered with the analysis |
| K | Off-scale low. Actual value is known to be less than the value given |
| L | Off-scale high. Actual value is known to be greater than value given |
| N | Non-target analyte; Tentatively identified compound (using mass spectroscopy) |
| Q | Sample held beyond the accepted holding time |
| R | Rejected data; Not suitable for the projects intended use |
| T | Value reported is less than the laboratory method detection limit |
| U | Compound was analyzed for but not detected |
| V | Analyte was detected in both the sample and the associated method blank |



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 10 of 12

Order Comments

19040004

Send results to pramptech@prampairshed.ca. Unknowns to be reported. Return sample to reception for isotope analysis.



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 11 of 12

Sample Comments



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 12 of 12

Result Comments

Note:

- 1. Results relate only to items tested and apply to the sample as received.*
- 2. This report shall not be reproduced, except in full, without the explicit approval of the laboratory.*