



PO Bag 4000
 Vegreville, Alberta
 Canada T9C 1T4
 (780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

RESULTS: Karla Reesor Peace River Area Monitoring Program Committee	403 807 2995	CLIENT SAMPLE ID	CANISTER ID	Matrix	Priority
		PRAMP_Reno-20190530	29021	Ambient Air	Normal
INVOICE: Office Manager	DESCRIPTION: NMHC Trigger				
	DATE SAMPLED:	30-May-19	7:25	DATE RECEIVED:	03-Jun-19
	REPORT CREATED:	21-Jun-19		REPORT NUMBER:	19060006
				VERSION:	Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
19060006-001	1-Butene	K, T, U	< 0.14	ppmv	0.14	NA-025	04-Jun-19
19060006-001	Acetylene	K, T, U	< 0.12	ppmv	0.12	NA-025	04-Jun-19
19060006-001	n-Butane	K, T, U	< 0.3	ppmv	0.3	NA-025	04-Jun-19
19060006-001	cis-2-Butene	K, T, U	< 0.06	ppmv	0.06	NA-025	04-Jun-19
19060006-001	Ethane	K, T, U	< 0.1	ppmv	0.1	NA-025	04-Jun-19
19060006-001	Ethylacetylene	K, T, U	< 0.09	ppmv	0.09	NA-025	04-Jun-19
19060006-001	Ethylene	K, T, U	< 0.10	ppmv	0.10	NA-025	04-Jun-19
19060006-001	Isobutane	K, T, U	< 0.1	ppmv	0.1	NA-025	04-Jun-19
19060006-001	Isobutylene	K, T, U	< 0.1	ppmv	0.1	NA-025	04-Jun-19
19060006-001	Methane		2.1	ppmv	0.1	NA-025	04-Jun-19
19060006-001	n-Propane	K, T, U	< 0.10	ppmv	0.10	NA-025	04-Jun-19
19060006-001	Propylene	K, T, U	< 0.1	ppmv	0.1	NA-025	04-Jun-19
19060006-001	Propyne	K, T, U	< 0.1	ppmv	0.1	NA-025	04-Jun-19
19060006-001	trans-2-Butene	K, T, U	< 0.13	ppmv	0.13	NA-025	04-Jun-19
19060006-001	2,5-Dimethylthiophene	K, T, U	< 0.4	ppbv	0.4	NA-024	05-Jun-19
19060006-001	2-Ethylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	05-Jun-19
19060006-001	2-Methylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	05-Jun-19
19060006-001	3-Methylthiophene	K, T, U	< 0.4	ppbv	0.4	NA-024	05-Jun-19

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20190530	29021	Ambient Air	30-May-19	7:25
DESCRIPTION:	NMHC Trigger			
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-001	Butyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-001	Carbon disulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-001	Carbonyl sulphide	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-001	Dimethyl disulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-001	Dimethyl sulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-001	Ethyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-001	Ethyl sulphide	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-001	Hydrogen sulphide		1.0 ppbv	0.1	NA-024	05-Jun-19
19060006-001	Isobutyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-001	Isopropyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-001	Methyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-001	Pentyl mercaptan	K, T, U	< 0.6 ppbv	0.6	NA-024	05-Jun-19
19060006-001	Propyl mercaptan	K, T, U	< 0.6 ppbv	0.6	NA-024	05-Jun-19
19060006-001	tert-Butyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-001	Thiophene	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-001	1,1,1-Trichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	1,1,2,2-Tetrachloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	1,1,2-Trichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	1,1-Dichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	1,1-Dichloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-001	1,2,3-Trimethylbenzene	I	0.14 ppbv	0.07	AC-058	04-Jun-19
19060006-001	1,2,4-Trichlorobenzene	K, T, U	< 1.2 ppbv	1.2	AC-058	04-Jun-19
19060006-001	1,2,4-Trimethylbenzene		0.14 ppbv	0.07	AC-058	04-Jun-19
19060006-001	1,2-Dibromoethane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	1,2-Dichlorobenzene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20190530	29021	Ambient Air	30-May-19	7:25
DESCRIPTION:	NMHC Trigger			
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
19060006-001	1,2-Dichloroethane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	1,2-Dichloropropane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	1,3,5-Trimethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	04-Jun-19
19060006-001	1,3-Butadiene		2.97	ppbv	0.03	AC-058	04-Jun-19
19060006-001	1,3-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	04-Jun-19
19060006-001	1,4-Dichlorobenzene	K, T, U	< 0.6	ppbv	0.6	AC-058	04-Jun-19
19060006-001	1,4-Dioxane	K, T, U	< 0.6	ppbv	0.6	AC-058	04-Jun-19
19060006-001	1-Butene/Isobutylene		6.02	ppbv	0.03	AC-058	04-Jun-19
19060006-001	1-Hexene/2-Methyl-1-pentene		1.01	ppbv	0.03	AC-058	04-Jun-19
19060006-001	1-Pentene		1.60	ppbv	0.01	AC-058	04-Jun-19
19060006-001	2,2,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	2,2-Dimethylbutane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	2,3,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	2,3-Dimethylbutane	K, T, U	< 0.03	ppbv	0.03	AC-058	04-Jun-19
19060006-001	2,3-Dimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	04-Jun-19
19060006-001	2,4-Dimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	2-Methylheptane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	2-Methylhexane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	2-Methylpentane		0.05	ppbv	0.01	AC-058	04-Jun-19
19060006-001	3-Methylheptane	K, T, U	< 0.03	ppbv	0.03	AC-058	04-Jun-19
19060006-001	3-Methylhexane		0.20	ppbv	0.03	AC-058	04-Jun-19
19060006-001	3-Methylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	04-Jun-19
19060006-001	Acetone		21.6	ppbv	0.6	AC-058	04-Jun-19
19060006-001	Acrolein		7.2	ppbv	0.4	AC-058	04-Jun-19
19060006-001	Benzene		8.29	ppbv	0.01	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-20190530	29021	Ambient Air	30-May-19 7:25
DESCRIPTION:	NMHC Trigger		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-001	Benzyl chloride	K, T, U	< 0.6 ppbv	0.6	AC-058	04-Jun-19
19060006-001	Bromodichloromethane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Bromoform	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Bromomethane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Carbon disulfide	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Carbon tetrachloride	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Chlorobenzene	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Chloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Chloroform	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Chloromethane		1.06 ppbv	0.03	AC-058	04-Jun-19
19060006-001	cis-1,2-Dichloroethene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	cis-1,3-Dichloropropene	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-001	cis-2-Butene		0.91 ppbv	0.03	AC-058	04-Jun-19
19060006-001	cis-2-Pentene		0.18 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Cyclohexane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Cyclopentane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Dibromochloromethane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Ethanol		3.9 ppbv	0.4	AC-058	04-Jun-19
19060006-001	Ethyl acetate	K, T, U	< 0.6 ppbv	0.6	AC-058	04-Jun-19
19060006-001	Ethylbenzene		0.70 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Freon-11	I	0.18 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Freon-113	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Freon-114	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Freon-12	I	0.34 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Hexachloro-1,3-butadiene	K, T, U	< 0.72 ppbv	0.72	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-20190530	29021	Ambient Air	30-May-19 7:25
DESCRIPTION:	NMHC Trigger		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-001	Isobutane		0.74 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Isopentane		0.30 ppbv	0.04	AC-058	04-Jun-19
19060006-001	Isoprene		0.83 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Isopropyl alcohol	K, T, U	< 0.6 ppbv	0.6	AC-058	04-Jun-19
19060006-001	Isopropylbenzene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	m,p-Xylene		1.27 ppbv	0.04	AC-058	04-Jun-19
19060006-001	m-Diethylbenzene	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-001	m-Ethyltoluene	I	0.18 ppbv	0.12	AC-058	04-Jun-19
19060006-001	Methyl butyl ketone	K, T, U	< 0.72 ppbv	0.72	AC-058	04-Jun-19
19060006-001	Methyl ethyl ketone		3.4 ppbv	0.4	AC-058	04-Jun-19
19060006-001	Methyl isobutyl ketone	K, T, U	< 0.6 ppbv	0.6	AC-058	04-Jun-19
19060006-001	Methyl methacrylate	K, T, U	< 0.10 ppbv	0.10	AC-058	04-Jun-19
19060006-001	Methyl tert butyl ether	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19
19060006-001	Methylcyclohexane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	Methylcyclopentane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Methylene chloride	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-001	n-Butane		2.19 ppbv	0.04	AC-058	04-Jun-19
19060006-001	n-Decane		0.22 ppbv	0.09	AC-058	04-Jun-19
19060006-001	n-Dodecane	K, T, U	< 0.6 ppbv	0.6	AC-058	04-Jun-19
19060006-001	n-Heptane		0.40 ppbv	0.01	AC-058	04-Jun-19
19060006-001	n-Hexane		0.53 ppbv	0.01	AC-058	04-Jun-19
19060006-001	n-Octane		0.30 ppbv	0.03	AC-058	04-Jun-19
19060006-001	n-Pentane		0.9 ppbv	0.1	AC-058	04-Jun-19
19060006-001	n-Propylbenzene		0.12 ppbv	0.07	AC-058	04-Jun-19
19060006-001	n-Undecane	K, T, U	< 0.7 ppbv	0.7	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-20190530	29021	Ambient Air	30-May-19 7:25
DESCRIPTION:	NMHC Trigger		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-001	Naphthalene	K, T, U	< 0.7 ppbv	0.7	AC-058	04-Jun-19
19060006-001	n-Nonane		0.21 ppbv	0.01	AC-058	04-Jun-19
19060006-001	o-Ethyltoluene	I	0.15 ppbv	0.01	AC-058	04-Jun-19
19060006-001	o-Xylene		0.53 ppbv	0.01	AC-058	04-Jun-19
19060006-001	p-Diethylbenzene	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-001	p-Ethyltoluene	K, T, U	< 0.10 ppbv	0.10	AC-058	04-Jun-19
19060006-001	Styrene		1.07 ppbv	0.06	AC-058	04-Jun-19
19060006-001	Tetrachloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-001	Tetrahydrofuran	K, T, U	< 0.6 ppbv	0.6	AC-058	04-Jun-19
19060006-001	Toluene		5.35 ppbv	0.01	AC-058	04-Jun-19
19060006-001	trans-1,2-Dichloroethylene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-001	trans-1,3-Dichloropropylene	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-001	trans-2-Butene		1.08 ppbv	0.01	AC-058	04-Jun-19
19060006-001	trans-2-Pentene		0.34 ppbv	0.03	AC-058	04-Jun-19
19060006-001	Trichloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-001	Vinyl acetate	K, T, U	< 0.6 ppbv	0.6	AC-058	04-Jun-19
19060006-001	Vinyl chloride	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-Blank	32220	Ambient Air	30-May-19
DESCRIPTION:	Blank		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-002	1-Butene	K, T, U	< 1.66 ppmv	1.66	NA-025	04-Jun-19
19060006-002	Acetylene	K, T, U	< 1.33 ppmv	1.33	NA-025	04-Jun-19
19060006-002	n-Butane	K, T, U	< 3.3 ppmv	3.3	NA-025	04-Jun-19
19060006-002	cis-2-Butene	K, T, U	< 0.66 ppmv	0.66	NA-025	04-Jun-19
19060006-002	Ethane	K, T, U	< 1.7 ppmv	1.7	NA-025	04-Jun-19
19060006-002	Ethylacetylene	K, T, U	< 0.99 ppmv	0.99	NA-025	04-Jun-19
19060006-002	Ethylene	K, T, U	< 1.16 ppmv	1.16	NA-025	04-Jun-19
19060006-002	Isobutane	K, T, U	< 1.7 ppmv	1.7	NA-025	04-Jun-19
19060006-002	Isobutylene	K, T, U	< 1.7 ppmv	1.7	NA-025	04-Jun-19
19060006-002	Methane	K, T, U	< 1.7 ppmv	1.7	NA-025	04-Jun-19
19060006-002	n-Propane	K, T, U	< 1.16 ppmv	1.16	NA-025	04-Jun-19
19060006-002	Propylene	K, T, U	< 1.7 ppmv	1.7	NA-025	04-Jun-19
19060006-002	Propyne	K, T, U	< 1.7 ppmv	1.7	NA-025	04-Jun-19
19060006-002	trans-2-Butene	K, T, U	< 1.49 ppmv	1.49	NA-025	04-Jun-19
19060006-002	2,5-Dimethylthiophene	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	2-Ethylthiophene	K, T, U	< 0.2 ppbv	0.2	NA-024	05-Jun-19
19060006-002	2-Methylthiophene	K, T, U	< 0.2 ppbv	0.2	NA-024	05-Jun-19
19060006-002	3-Methylthiophene	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	Butyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	Carbon disulphide	K, T, U	< 0.2 ppbv	0.2	NA-024	05-Jun-19
19060006-002	Carbonyl sulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	Dimethyl disulphide	K, T, U	< 0.2 ppbv	0.2	NA-024	05-Jun-19
19060006-002	Dimethyl sulphide	K, T, U	< 0.2 ppbv	0.2	NA-024	05-Jun-19
19060006-002	Ethyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	Ethyl sulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-Blank	32220	Ambient Air	30-May-19
DESCRIPTION:	Blank		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-002	Hydrogen sulphide	K, T, U	< 0.1 ppbv	0.1	NA-024	05-Jun-19
19060006-002	Isobutyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	Isopropyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	Methyl mercaptan	K, T, U	< 0.2 ppbv	0.2	NA-024	05-Jun-19
19060006-002	Pentyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-002	Propyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	05-Jun-19
19060006-002	tert-Butyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	05-Jun-19
19060006-002	Thiophene	K, T, U	< 0.2 ppbv	0.2	NA-024	05-Jun-19
19060006-002	1,1,1-Trichloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1,1,2,2-Tetrachloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1,1,2-Trichloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1,1-Dichloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1,1-Dichloroethylene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19
19060006-002	1,2,3-Trimethylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	04-Jun-19
19060006-002	1,2,4-Trichlorobenzene	K, T, U	< 0.8 ppbv	0.8	AC-058	04-Jun-19
19060006-002	1,2,4-Trimethylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	04-Jun-19
19060006-002	1,2-Dibromoethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1,2-Dichlorobenzene	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-002	1,2-Dichloroethane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	1,2-Dichloropropane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	1,3,5-Trimethylbenzene	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1,3-Butadiene	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1,3-Dichlorobenzene	K, T, U	< 0.3 ppbv	0.3	AC-058	04-Jun-19
19060006-002	1,4-Dichlorobenzene	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	1,4-Dioxane	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-Blank	32220	Ambient Air	30-May-19
DESCRIPTION:	Blank		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-002	1-Butene/Isobutylene	U	0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	1-Pentene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	2,2,4-Trimethylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	2,2-Dimethylbutane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	2,3,4-Trimethylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	2,3-Dimethylbutane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	2,3-Dimethylpentane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	2,4-Dimethylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	2-Methylheptane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	2-Methylhexane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	2-Methylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	3-Methylheptane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	3-Methylhexane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	3-Methylpentane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Acetone	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	Acrolein	K, T, U	< 0.3 ppbv	0.3	AC-058	04-Jun-19
19060006-002	Benzene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Benzyl chloride	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	Bromodichloromethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Bromoform	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Bromomethane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Carbon disulfide	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Carbon tetrachloride	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Chlorobenzene	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-Blank	32220	Ambient Air	30-May-19
DESCRIPTION:	Blank		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-002	Chloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Chloroform	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Chloromethane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	cis-1,2-Dichloroethene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	cis-1,3-Dichloropropene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19
19060006-002	cis-2-Butene	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	cis-2-Pentene	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Cyclohexane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Cyclopentane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Dibromochloromethane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Ethanol	K, T, U	< 0.3 ppbv	0.3	AC-058	04-Jun-19
19060006-002	Ethyl acetate	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	Ethylbenzene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Freon-11	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Freon-113	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Freon-114	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Freon-12	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Hexachloro-1,3-butadiene	K, T, U	< 0.50 ppbv	0.50	AC-058	04-Jun-19
19060006-002	Isobutane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Isopentane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-002	Isoprene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Isopropyl alcohol	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	Isopropylbenzene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	m,p-Xylene	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-002	m-Diethylbenzene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-Blank	32220	Ambient Air	30-May-19
DESCRIPTION:	Blank		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-002	m-Ethyltoluene	K, T, U	< 0.08 ppbv	0.08	AC-058	04-Jun-19
19060006-002	Methyl butyl ketone	K, T, U	< 0.50 ppbv	0.50	AC-058	04-Jun-19
19060006-002	Methyl ethyl ketone	K, T, U	< 0.3 ppbv	0.3	AC-058	04-Jun-19
19060006-002	Methyl isobutyl ketone	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	Methyl methacrylate	K, T, U	< 0.07 ppbv	0.07	AC-058	04-Jun-19
19060006-002	Methyl tert butyl ether	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-002	Methylcyclohexane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	Methylcyclopentane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Methylene chloride	K, T, U	< 0.3 ppbv	0.3	AC-058	04-Jun-19
19060006-002	n-Butane	K, T, U	< 0.03 ppbv	0.03	AC-058	04-Jun-19
19060006-002	n-Decane	K, T, U	< 0.06 ppbv	0.06	AC-058	04-Jun-19
19060006-002	n-Dodecane	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	n-Heptane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	n-Hexane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	n-Octane	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	n-Pentane	K, T, U	< 0.1 ppbv	0.1	AC-058	04-Jun-19
19060006-002	n-Propylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	04-Jun-19
19060006-002	n-Undecane	K, T, U	< 0.5 ppbv	0.5	AC-058	04-Jun-19
19060006-002	Naphthalene	K, T, U	< 0.5 ppbv	0.5	AC-058	04-Jun-19
19060006-002	n-Nonane	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	o-Ethyltoluene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	o-Xylene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	p-Diethylbenzene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19
19060006-002	p-Ethyltoluene	K, T, U	< 0.07 ppbv	0.07	AC-058	04-Jun-19
19060006-002	Styrene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19

Report certified by: Krista Gegolick, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: June-21-19

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-Blank	32220	Ambient Air	30-May-19
DESCRIPTION:	Blank		
REPORT NUMBER:	19060006	REPORT CREATED:	21-Jun-19
			VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
19060006-002	Tetrachloroethylene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19
19060006-002	Tetrahydrofuran	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	Toluene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	trans-1,2-Dichloroethylene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	trans-1,3-Dichloropropylene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19
19060006-002	trans-2-Butene	K, T, U	< 0.01 ppbv	0.01	AC-058	04-Jun-19
19060006-002	trans-2-Pentene	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19
19060006-002	Trichloroethylene	K, T, U	< 0.04 ppbv	0.04	AC-058	04-Jun-19
19060006-002	Vinyl acetate	K, T, U	< 0.4 ppbv	0.4	AC-058	04-Jun-19
19060006-002	Vinyl chloride	K, T, U	< 0.02 ppbv	0.02	AC-058	04-Jun-19



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Revision History

Order ID	Ver	Date	Reason
19060006	01	21-Jun-19	Report created

Methods

Method	Description
AC-058	Determination of Volatile Organic Compounds in Ambient Air by Gas Chromatography Mass Spectrometry
NA-024	Analysis for Reduced Sulfur Compounds in Air Samples
NA-025	Determination of Light Hydrocarbons (C1C4) in Ambient Air by Gas Chromatography Flame Ionization Detector

Qualifiers

Data Qualifier Translation

B	Blank contamination; Analyte detected above the method reporting limit in an associated blank
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
J1	Reported value is estimated; Surrogate recoveries limits were exceeded
J2	Reported value is estimated; No known QC criteria for this component
J3	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
J4	Reported value is estimated; The sample matrix interfered with the analysis
K	Off-scale low. Actual value is known to be less than the value given
L	Off-scale high. Actual value is known to be greater than value given
N	Non-target analyte; Tentatively identified compound (using mass spectroscopy)
Q	Sample held beyond the accepted holding time
R	Rejected data; Not suitable for the projects intended use
T	Value reported is less than the laboratory method detection limit
U	Compound was analyzed for but not detected
V	Analyte was detected in both the sample and the associated method blank



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 16 of 18

Order Comments

19060006

Send results to pramptech@prampairshed.ca. Unknowns to be reported.



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 17 of 18

Sample Comments



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 18 of 18

Result Comments

Note:

- 1. Results relate only to items tested and apply to the sample as received.*
- 2. This report shall not be reproduced, except in full, without the explicit approval of the laboratory.*