




Highway 16A & 75 Street
 PO Bag 4000
 Vegreville, AB, T9C 1T4
 Environmental Analytical Services
 Phone: (780) 632-8403 Fax: (780) 632-8620

Sample ID: 20020190-001

Customer ID: PRAMP
 Cust Samp ID: PRAMP_Reno-20200224
 14:30

Date Received - Lab Use Only



Client Contact Details:

Contact: Karla Ressor, Michael Bisaga/ Lily Lin
 Company: PRAMP Airshed
 PO#: 842 Station 986 Station Reno Station
 Address: 842 (Lat. 56.27406N, Long. 116.98129W)
 986 (Lat. 56.36988N, Long. 116.925636W)
 Reno (Lat. 55.86936N, Long. 117.05739W)
 Telephone: 403-8072995, 780-2667068/587-2252248
 Email: karla@prampairshed.ca, pramp@prampairshed.ca

RUSH (Surcharge)

Invoice Instructions:
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,
pramp@prampairshed.ca Attention: PRAMP Office Manager
 Any correspondence related to canister analysis, send the information to karla@prampairshed.ca
 and pramp@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP_station_yyyyymmdd)	Canister Number	Sample Description	Date/Time Sampled		Analysis Requested
			From/To	Time (24 Hr) (MST)	
PRAMP_842-_____ (Sample date: yyyyymmdd)	32230	<input checked="" type="checkbox"/> Methane Trigger <input type="checkbox"/> NMHC Trigger <input type="checkbox"/> Methane Blank <input type="checkbox"/> NMHC Blank <input type="checkbox"/> Expired Canister - No further analysis is required.	2020 02 24	14:30	* AIR C1C4, AIR VOC, AIR RSC * Unknown to be reported
PRAMP_986-_____ (Sample date: yyyyymmdd)					
PRAMP_Reno-2020 02 24 (Sample date: yyyyymmdd)	28944		2020 02 24	10:20 AM	* Carbon Isotopic Analysis (if sample is collected from Methane trigger) * Unknown to be reported
Methane Blank					

Sample Collection:

Collect By KEID (Name) of PRAMP (Company) on 2020 02 24 (Date/Time (MST))
10:20 AM
 EMF078FRM GLBRK



Canister ID: 32230

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: DOSTA on: JAN 16 2020

Evacuated on: JAN 20 2020

Use within: 3 months from evacuation date

Sample ID: 20020190-001

Customer ID: PRAMP

Cust Samp ID: PRAMP_Reno-20200224
14:30

Sample ID: _____

Sampled By: _____

Starting Vacuum: -26.9 "Hg

End Vacuum: 4 "Hg/psig

-5.41g IMP

Sample ID: _____

Sampled By: _____

Starting Vacuum: -26.9 "Hg

End Vacuum: 28 "Hg/psig

-28.11g IMP



Canister ID: 28944

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: DOSTA on: JAN 16 2020

Evacuated on: JAN 20 2020

Use within: 3 months from evacuation date

Laboratory Contact Number: 780-632-8403

METKAD B
BLADE

ROD GLENN
PRAMP

28 "Hg/psig IMP