



Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

**Sample ID:** 20080283-001

**Customer ID:** PRAMP  
**Cust Samp ID:** PRAMP\_Reno-20200821  
**Priority:** Normal

Date Received- Lab Use Only

**RECEIVED**  
**AUG 25 2020**

**Client Contact Details:**

**Contact:** Karla Ressor, Michael Bisaga/ Lily Lin  
**Company:** PRAMP Airshed  
**PO#:**  842 Station  986 Station  Reno Station  
**Address:**  842 (Lat. 56.27406N, Long. 116.98129W)  
 986 (Lat. 56.36988N, Long. 116.925636W)  
 Reno (Lat. 55.86936N, Long. 117.05739W)  
**Telephone:** 403-8072995, 780-2667068/587-2252248  
**Email:** karla@prampairshed.ca, pramptech@prampairshed.ca

**RUSH (Surcharge)**

**Invoice Instructions:**  
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
 pramptech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to karla@prampairshed.ca  
 and pramptech@prampairshed.ca  
 InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519  
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP_staiom_yyyymmdd)	Canister Number	Sample Description	Date/Time Sampled		Analysis Requested
			From/To		
			Date (dd/mm/yy)	Time (24 Hr) (MST)	
PRAMP_842- _____ (Sample date: yyyymmdd)  PRAMP_986- _____ (Sample date: yyyymmdd)  PRAMP_Reno- <u>20200821</u> (Sample date: yyyymmdd)	<u>28966</u>	<input checked="" type="checkbox"/> Methane Trigger <input type="checkbox"/> NMHC Trigger <input type="checkbox"/> Methane Blank <input type="checkbox"/> NMHC Blank <input type="checkbox"/> Expired Canister – No further analysis is required.	<u>21/08/20</u>	<u>01:10 am</u>	* AIR C1C4, AIR VOC, AIR RSC  * Unknown to be reported  * Carbon Isotopic Analysis (if sample is collected from Methane trigger)

**Sample Collection:**

Collect By Ferdinand Roy (Name) of Veritas (Company) on 22/08/20 / 13:52 (Date/Time (MST)).



Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

Sample ID: 20080283-002

Customer ID: PRAMP  
 Cust Samp ID: PRAMP\_Reno-Blank  
 Priority: Normal

Date Received - Lab Use Only

**RECEIVED**  
 AUG 25 2020

**Client Contact Details:**

Contact: Karla Ressor, Michael Bisaga/ Lily Lin

Company: PRAMP Airshed

PO#:  842 Station  986 Station  Reno Station

Address:  842 (Lat. 56.27406N, Long. 116.98129W)

986 (Lat. 56.36988N, Long. 116.925636W)

Reno (Lat. 55.86936N, Long. 117.05739W)

Telephone: 403-8072995, 780-2667068/587-2252248

Email: karla@prampairshed.ca, pramptech@prampairshed.ca

**RUSH (Surcharge)**

Invoice Instructions:

Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
pramptech@prampairshed.ca Attention: PRAMP Office Manager

Any correspondence related to canister analysis, send the information to karla@prampairshed.ca  
 and pramptech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519

Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP_statiom_yyyymmdd)	Canister Number	Sample Description	Date/Time Sampled		Analysis Requested
			From/To		
			Date (dd/mm/yy)	Time (24 Hr) (MST)	
PRAMP_842- _____ (Sample date: yyyymmdd)	32245	<input type="checkbox"/> Methane Trigger			* AIR C1C4, AIR VOC, AIR RSC
PRAMP_986- _____ (Sample date: yyyymmdd)		<input type="checkbox"/> NMHC Trigger			* Unknown to be reported
PRAMP_Reno- <u>BLANK</u> (Sample date: yyyymmdd)		<input checked="" type="checkbox"/> Methane Blank			* Carbon Isotopic Analysis (if sample is collected from Methane trigger)
		<input type="checkbox"/> NMHC Blank			
		<input type="checkbox"/> Expired Canister – No further analysis is required.			

**Sample Collection:**

Collect By Ferdinand Roy (Name) of Bureau Veritas (Company) on 22/08/20 / 13:52 (Date/Time (MST)).

Sample ID: 20080283-001


Customer ID: PRAMP


Cust Samp ID: PRAMP\_Reno-20200821

Priority: Normal

RECEIVED

AUG 25 2020

 <p>Canister ID: <u>25966</u></p> <p>This cleaned canister meets or exceeds TO-15 Method Specifications</p> <p>Proofed on: <u>MAY 11 2020</u> Evacuated on: <u>MAY 14 2020</u> Recertified on: <u>JUN 30 2020</u> <small>(Use within: 3 months from recertification date)</small> Laboratory Contact Number: 780-632-8403</p>	Sample ID: <u>PRAMP_RENO_20200821 (CH4)</u>	
	Sampled By: <u>Ferdinand Roy</u>	
	Starting Vacuum: <u>-26.7</u> "Hg	End Vacuum: <u>-3</u> Hg <u>-2</u> "Hg/psig MW

 <p>Canister ID: <u>32245</u></p> <p>This cleaned canister meets or exceeds TO-15 Method Specifications</p> <p>Proofed by: <u>DOSS</u> on: <u>JUN 08 2020</u> Evacuated on: <u>JUN 26 2020</u> <small>Use within: 3 months from evacuation date</small> Laboratory Contact Number: 780-632-8403</p>	Sample ID: <u>PRAMP_RENO_BLACK</u>	
	Sampled By: _____	
	Starting Vacuum: <u>-27.3</u> "Hg	End Vacuum: <u>-26</u> "Hg/psig MW