



Highway 16A & 75 Street
 PO Bag 4000
 Vegreville, AB, T9C 1T4
 Environmental Analytical Services
 Phone: (780) 632-8403 Fax: (780) 632-8620

Sample ID: 20100276-001 Priority: Normal



Customer ID: PRAMP
 Cust Samp ID: Pramp_Reno-20201011

EAS CANISTER

Date Received- Lab Use Only

09/27/2020

RECEIVED

Client Contact Details:

Contact: Karla Ressor, Michael Bisaga/ Lily Lin
 Company: PRAMP Airshed
 PO#: 842 Station 986 Station Reno Station
 Address: 842 (Lat. 56.27406N, Long. 116.98129W)
 986 (Lat. 56.36988N, Long. 116.925636W)
 Reno (Lat. 55.86936N, Long. 117.05739W)
 Telephone: 403-8072995, 780-2667068/587-2252248
 Email: karla@prampairshed.ca, prampitech@prampairshed.ca

RUSH (Surcharge)

Invoice Instructions:
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca
prampitech@prampairshed.ca Attention: PRAMP Office Manager
 Any correspondence related to canister analysis, send the information to karla@prampairshed.ca and prampitech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519
 Email: Graham.Knox@innotechalberta.ca

| Sample ID (PRAMP_station_yyyyymmdd) | Canister Number | Sample Description | Date/Time Sampled | | Analysis Requested |
|--|-----------------|--|-------------------|--------------------|--|
| | | | From/To | Time (24 Hr) (MST) | |
| PRAMP_842- (Sample date: yyyyymmdd) | | <input checked="" type="checkbox"/> Methane Trigger <input type="checkbox"/> NMHC Trigger | | | * AIR C1C4, AIR VOC, AIR RSC * Unknown to be reported |
| PRAMP_986- (Sample date: yyyyymmdd) | | <input type="checkbox"/> Methane Blank <input type="checkbox"/> NMHC Blank | | | * Carbon Isotopic Analysis (if sample is collected from Methane trigger) |
| PRAMP_Reno- <u>202010K</u> (Sample date: yyyyymmdd) | <u>28941</u> | <input type="checkbox"/> Expired Canister - No further analysis is required. | <u>11/10/20</u> | <u>22:35</u> | |

Sample Collection:

Collect By Ferdinand Roy (Name) of Bureau Veritas (Company) on Oct 20, 2020/14:00 (Date/Time (MST)).



Highway 16A & 75 Street
 PO Bag 4000
 Vegreville, AB, T9C 1T4
 Environmental Analytical Services
 Phone: (780) 632-8403 Fax: (780) 632-8620

Sample ID: 20100276-002 Priority: Normal



Customer ID: PRAMP
 Cust Samp ID: Pramp_Reno_Blank

FACTANSTED

Date Received - Lab Use Only

OCT 27 2020

RECEIVED

Client Contact Details:

Contact: Karla Ressor, Michael Bisaga/Lily Lin
 Company: PRAMP Airshed
 PO#: 842 Station 986 Station Reno Station
 Address: 842 (Lat. 56.27406N, Long. 116.98129W)
 986 (Lat. 56.36988N, Long. 116.925636W)
 Reno (Lat. 55.86936N, Long. 117.05739W)
 Telephone: 403-8072995, 780-2667068/587-2252248
 Email: karla@prampairshed.ca, prampstech@prampairshed.ca

RUSH (Surcharge)

Invoice Instructions:
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,
prampstech@prampairshed.ca Attention: PRAMP Office Manager
 Any correspondence related to canister analysis, send the information to karla@prampairshed.ca
 and prampstech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519
 Email: Graham.Knox@innotechalberta.ca

| Sample ID (PRAMP_station_yyyyymmdd) | Canister Number | Sample Description | Date/Time Sampled | | Analysis Requested |
|---|-----------------|--|-------------------|-----------------------|--|
| | | | From/To | Time (24 Hr) (MST) | |
| PRAMP_842- (Sample date: yyyyymmdd) | | <input type="checkbox"/> Methane Trigger <input type="checkbox"/> NMHC Trigger | | | * AIR C1C4, AIR VOC, AIR RSC * Unknown to be reported |
| PRAMP_986- (Sample date: yyyyymmdd) | 32199 | <input checked="" type="checkbox"/> Methane Blank <input type="checkbox"/> NMHC Blank | n/a | n/a | * Carbon Isotopic Analysis (if sample is collected from Methane trigger) |
| PRAMP_Reno- (Sample date: yyyyymmdd) | | <input type="checkbox"/> Expired Canister - No further analysis is required. | | | |

Sample Collection:

Collect By Ferdinand Lopez (Name) of Bureau Veritas (Company) on Oct 20, 2020 (Date/Time (MST)).

Sample ID: 20100276-001 Priority: Normal



Customer ID: PRAMP
Cust Samp ID: Pramp_Reno-20201011

From: Michael & Lily <pramptech@prampairshed.ca>
Sent: October-27-20 11:18 AM
To: Krista Gegolick; Karla Reesor
Subject: RE: RSC Past Hold time

*** EXTERNAL E-mail. Please be cautious and evaluate the sender and content before you click on any links or open attachments. ***

Hi Krista,

Please go ahead with RSC analysis. Can you also note on the analytical results saying the sample passed the hold time, please?

Thanks,
Lily

Michael Bisaga - 780 266-7068
Lily Lin - 587 225-2248

Technical Program Managers
Peace River Area Monitoring Program Committee

From: Krista Gegolick <Krista.Gegolick@innotechalberta.ca>
Sent: Tuesday, October 27, 2020 11:09 AM
To: Karla Reesor <karla@prampairshed.ca>; Michael & Lily <pramptech@prampairshed.ca>
Subject: RSC Past Hold time

Hi,

We received in your canister today, but the RSC test are past our hold time. Could you please confirm you would still like to go ahead with the testing. The sample was Pramp_Reno-20201011 sampled on Oct 11, COC attached above.

Thanks!

Krista



Krista Gegolick
Chemical Testing – EAS Sample Reception
780-632-8230 Office
780-275-2755 Cell
780-632-8620 Fax
Krista.Gegolick@innotechalberta.ca



Canister ID: 28941

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: DOS4 on: SEP 11 2020

Evacuated: SEP 14 2020 Recertified: SEP 22 2020

(Use within: 3 months from evacuation or recertification date)

Laboratory Contact Number: 780-632-8403

Sample ID: PRAMP_Reno-20201011

Sampled By: Ferdinand Roy

Starting Vacuum:

-27 "Hg

End Vacuum:

KG -2.5 -2.5 "Hg/psig



Canister ID: 32199

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: TSR on: SEP 11 2020

Evacuated: SEP 14 2020 Recertified: SEP 22 2020

(Use within: 3 months from evacuation or recertification date)

Laboratory Contact Number: 780-632-8403

Sample ID: PRAMP_Reno_BLANK

Sampled By: Ferdinand Roy

Starting Vacuum:

-27.0 "Hg

End Vacuum:

-30 "Hg/psig

Sample ID: 20100276-001 Priority: Normal



Customer ID: PRAMP

Cust Samp ID: Pramp Reno-20201011