

<p>RESULTS: Office Manager Peace River Area Monitoring Program Committee</p>	<p>CLIENT SAMPLE ID Pramp_Reno_Blank</p> <p>CANISTER ID: 31823</p> <p>PRIORITY: Normal</p> <p>DESCRIPTION: Methane Blank</p>	<p>Matrix Ambient Air</p>
<p>INVOICE: Karla Reesor 403 807 2995</p>	<p>DATE SAMPLED: 11-Nov-20</p> <p>REPORT CREATED: 24-Nov-20</p>	<p>DATE RECEIVED: 17-Nov-20</p> <p>REPORT NUMBER: 20110112</p> <p>VERSION: Version 01</p>

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-002	1-Butene	K, T, U	< 0.10	ppmv	0.10	NA-025	17-Nov-20
20110112-002	Acetylene	K, T, U	< 0.08	ppmv	0.08	NA-025	17-Nov-20
20110112-002	n-Butane	K, T, U	< 0.2	ppmv	0.2	NA-025	17-Nov-20
20110112-002	cis-2-Butene	K, T, U	< 0.04	ppmv	0.04	NA-025	17-Nov-20
20110112-002	Ethane	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-002	Ethylacetylene	K, T, U	< 0.06	ppmv	0.06	NA-025	17-Nov-20
20110112-002	Ethylene	K, T, U	< 0.07	ppmv	0.07	NA-025	17-Nov-20
20110112-002	Isobutane	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-002	Isobutylene	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-002	Methane		0.4	ppmv	0.1	NA-025	17-Nov-20
20110112-002	n-Propane	K, T, U	< 0.07	ppmv	0.07	NA-025	17-Nov-20
20110112-002	Propylene	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-002	Propyne	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-002	trans-2-Butene	K, T, U	< 0.09	ppmv	0.09	NA-025	17-Nov-20
20110112-002	2,5-Dimethylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	2-Ethylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	17-Nov-20
20110112-002	2-Methylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	17-Nov-20
20110112-002	3-Methylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20

CLIENT SAMPLE ID	Pramp_Reno_Blank	CANISTER ID	31823	Matrix	Ambient Air	DATE SAMPLED	11-Nov-20
DESCRIPTION:	Methane Blank						
REPORT NUMBER:	20110112	REPORT CREATED:	24-Nov-20	VERSION:	Version 01		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-002	Butyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Carbon disulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	17-Nov-20
20110112-002	Carbonyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Dimethyl disulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	17-Nov-20
20110112-002	Dimethyl sulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	17-Nov-20
20110112-002	Ethyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Ethyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Hydrogen sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Isobutyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Isopropyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Methyl mercaptan	K, T, U	< 0.2	ppbv	0.2	NA-024	17-Nov-20
20110112-002	Pentyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-002	Propyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-002	tert-Butyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-002	Thiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	17-Nov-20
20110112-002	1,1,1-Trichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1,1,2,2-Tetrachloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1,1,2-Trichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1,1-Dichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1,1-Dichloroethylene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	1,2,3-Trimethylbenzene	K, T, U	< 0.05	ppbv	0.05	AC-058	18-Nov-20
20110112-002	1,2,4-Trichlorobenzene	K, T, U	< 0.8	ppbv	0.8	AC-058	18-Nov-20
20110112-002	1,2,4-Trimethylbenzene	K, T, U	< 0.05	ppbv	0.05	AC-058	18-Nov-20
20110112-002	1,2-Dibromoethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1,2-Dichlorobenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	Pramp_Reno_Blank	CANISTER ID	31823	Matrix	Ambient Air	DATE SAMPLED	11-Nov-20
DESCRIPTION:	Methane Blank						
REPORT NUMBER:	20110112	REPORT CREATED:	24-Nov-20	VERSION:	Version 01		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-002	1,2-Dichloroethane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	1,2-Dichloropropane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	1,3,5-Trimethylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1,3-Butadiene	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1,3-Dichlorobenzene	K, T, U	< 0.3	ppbv	0.3	AC-058	18-Nov-20
20110112-002	1,4-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	1,4-Dioxane	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	1-Butene/Isobutylene		0.34	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1-Hexene/2-Methyl-1-pentene	I	0.11	ppbv	0.02	AC-058	18-Nov-20
20110112-002	1-Pentene		0.07	ppbv	0.01	AC-058	18-Nov-20
20110112-002	2,2,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	2,2-Dimethylbutane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	2,3,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	2,3-Dimethylbutane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	2,3-Dimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	2,4-Dimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	2-Methylheptane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	2-Methylhexane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	2-Methylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	3-Methylheptane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	3-Methylhexane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	3-Methylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Acetone		0.5	ppbv	0.4	AC-058	18-Nov-20
20110112-002	Acrolein	K, T, U	< 0.3	ppbv	0.3	AC-058	18-Nov-20
20110112-002	Benzene		0.11	ppbv	0.01	AC-058	18-Nov-20

CLIENT SAMPLE ID	Pramp_Reno_Blank	CANISTER ID	31823	Matrix	Ambient Air	DATE SAMPLED	11-Nov-20
DESCRIPTION:	Methane Blank						
REPORT NUMBER:	20110112	REPORT CREATED:	24-Nov-20	VERSION:	Version 01		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-002	Benzyl chloride	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	Bromodichloromethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Bromoform	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Bromomethane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Carbon disulfide	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Carbon tetrachloride	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Chlorobenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Chloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Chloroform	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Chloromethane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	cis-1,2-Dichloroethene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	cis-1,3-Dichloropropene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	cis-2-Butene	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	cis-2-Pentene	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Cyclohexane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Cyclopentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Dibromochloromethane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Ethanol		0.9	ppbv	0.3	AC-058	18-Nov-20
20110112-002	Ethyl acetate	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	Ethylbenzene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Freon-11	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Freon-113	I	0.03	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Freon-114	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Freon-12	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Hexachloro-1,3-butadiene	K, T, U	< 0.50	ppbv	0.50	AC-058	18-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	Pramp_Reno_Blank	CANISTER ID	31823	Matrix	Ambient Air	DATE SAMPLED	11-Nov-20
DESCRIPTION:	Methane Blank						
REPORT NUMBER:	20110112	REPORT CREATED:	24-Nov-20			VERSION:	Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-002	Isobutane		0.24	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Isopentane		0.07	ppbv	0.03	AC-058	18-Nov-20
20110112-002	Isoprene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Isopropyl alcohol	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	Isopropylbenzene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	m,p-Xylene	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-002	m-Diethylbenzene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	m-Ethyltoluene	K, T, U	< 0.08	ppbv	0.08	AC-058	18-Nov-20
20110112-002	Methyl butyl ketone	K, T, U	< 0.50	ppbv	0.50	AC-058	18-Nov-20
20110112-002	Methyl ethyl ketone	K, T, U	< 0.3	ppbv	0.3	AC-058	18-Nov-20
20110112-002	Methyl isobutyl ketone	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	Methyl methacrylate	K, T, U	< 0.07	ppbv	0.07	AC-058	18-Nov-20
20110112-002	Methyl tert butyl ether	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-002	Methylcyclohexane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	Methylcyclopentane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Methylene chloride	K, T, U	< 0.3	ppbv	0.3	AC-058	18-Nov-20
20110112-002	n-Butane		0.04	ppbv	0.03	AC-058	18-Nov-20
20110112-002	n-Decane	K, T, U	< 0.06	ppbv	0.06	AC-058	18-Nov-20
20110112-002	n-Dodecane	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	n-Heptane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	n-Hexane		0.17	ppbv	0.01	AC-058	18-Nov-20
20110112-002	n-Octane	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	n-Pentane		0.1	ppbv	0.1	AC-058	18-Nov-20
20110112-002	n-Propylbenzene	K, T, U	< 0.05	ppbv	0.05	AC-058	18-Nov-20
20110112-002	n-Undecane	K, T, U	< 0.5	ppbv	0.5	AC-058	18-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
Pramp_Reno_Blank	31823	Ambient Air	11-Nov-20
DESCRIPTION:	Methane Blank		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
20110112	24-Nov-20		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-002	Naphthalene	K, T, U	< 0.5	ppbv	0.5	AC-058	18-Nov-20
20110112-002	n-Nonane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	o-Ethyltoluene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	o-Xylene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	p-Diethylbenzene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	p-Ethyltoluene	K, T, U	< 0.07	ppbv	0.07	AC-058	18-Nov-20
20110112-002	Styrene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	Tetrachloroethylene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	Tetrahydrofuran	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	Toluene		0.13	ppbv	0.01	AC-058	18-Nov-20
20110112-002	trans-1,2-Dichloroethylene	I	0.06	ppbv	0.01	AC-058	18-Nov-20
20110112-002	trans-1,3-Dichloropropylene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	trans-2-Butene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-002	trans-2-Pentene	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20
20110112-002	Trichloroethylene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-002	Vinyl acetate	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-002	Vinyl chloride	K, T, U	< 0.02	ppbv	0.02	AC-058	18-Nov-20

CLIENT SAMPLE ID Pramp_Reno-20201111	CANISTER ID 31820	Matrix Ambient Air	DATE SAMPLED 11-Nov-20 2:25
DESCRIPTION: Methane Trigger			
REPORT NUMBER: 20110112	REPORT CREATED: 24-Nov-20		VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-001	1-Butene	K, T, U	< 0.14	ppmv	0.14	NA-025	17-Nov-20
20110112-001	Acetylene	K, T, U	< 0.12	ppmv	0.12	NA-025	17-Nov-20
20110112-001	n-Butane	K, T, U	< 0.3	ppmv	0.3	NA-025	17-Nov-20
20110112-001	cis-2-Butene	K, T, U	< 0.06	ppmv	0.06	NA-025	17-Nov-20
20110112-001	Ethane	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-001	Ethylacetylene	K, T, U	< 0.09	ppmv	0.09	NA-025	17-Nov-20
20110112-001	Ethylene	K, T, U	< 0.10	ppmv	0.10	NA-025	17-Nov-20
20110112-001	Isobutane	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-001	Isobutylene	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-001	Methane		3.4	ppmv	0.1	NA-025	17-Nov-20
20110112-001	n-Propane	K, T, U	< 0.10	ppmv	0.10	NA-025	17-Nov-20
20110112-001	Propylene	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-001	Propyne	K, T, U	< 0.1	ppmv	0.1	NA-025	17-Nov-20
20110112-001	trans-2-Butene	K, T, U	< 0.13	ppmv	0.13	NA-025	17-Nov-20
20110112-001	2,5-Dimethylthiophene	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	2-Ethylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-001	2-Methylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-001	3-Methylthiophene	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Butyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Carbon disulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-001	Carbonyl sulphide	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Dimethyl disulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-001	Dimethyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-001	Ethyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Ethyl sulphide	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID Pramp_Reno-20201111	CANISTER ID 31820	Matrix Ambient Air	DATE SAMPLED 11-Nov-20 2:25
DESCRIPTION: Methane Trigger			
REPORT NUMBER: 20110112	REPORT CREATED: 24-Nov-20		VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-001	Hydrogen sulphide	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Isobutyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Isopropyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Methyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-001	Pentyl mercaptan	K, T, U	< 0.6	ppbv	0.6	NA-024	17-Nov-20
20110112-001	Propyl mercaptan	K, T, U	< 0.6	ppbv	0.6	NA-024	17-Nov-20
20110112-001	tert-Butyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	17-Nov-20
20110112-001	Thiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	17-Nov-20
20110112-001	1,1,1-Trichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1,1,2,2-Tetrachloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1,1,2-Trichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1,1-Dichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1,1-Dichloroethylene	K, T, U	< 0.06	ppbv	0.06	AC-058	18-Nov-20
20110112-001	1,2,3-Trimethylbenzene	K, T, U	< 0.07	ppbv	0.07	AC-058	18-Nov-20
20110112-001	1,2,4-Trichlorobenzene	K, T, U	< 1.2	ppbv	1.2	AC-058	18-Nov-20
20110112-001	1,2,4-Trimethylbenzene	K, T, U	< 0.07	ppbv	0.07	AC-058	18-Nov-20
20110112-001	1,2-Dibromoethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1,2-Dichlorobenzene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-001	1,2-Dichloroethane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	1,2-Dichloropropane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	1,3,5-Trimethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1,3-Butadiene	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1,3-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-001	1,4-Dichlorobenzene	K, T, U	< 0.6	ppbv	0.6	AC-058	18-Nov-20
20110112-001	1,4-Dioxane	K, T, U	< 0.6	ppbv	0.6	AC-058	18-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
Pramp_Reno-20201111	31820	Ambient Air	11-Nov-20 2:25
DESCRIPTION:	Methane Trigger		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
20110112	24-Nov-20		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-001	1-Butene/Isobutylene		0.58	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1-Hexene/2-Methyl-1-pentene	I	0.16	ppbv	0.03	AC-058	18-Nov-20
20110112-001	1-Pentene		0.34	ppbv	0.01	AC-058	18-Nov-20
20110112-001	2,2,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	2,2-Dimethylbutane		0.14	ppbv	0.01	AC-058	18-Nov-20
20110112-001	2,3,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	2,3-Dimethylbutane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	2,3-Dimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	2,4-Dimethylpentane		0.09	ppbv	0.01	AC-058	18-Nov-20
20110112-001	2-Methylheptane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	2-Methylhexane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	2-Methylpentane		0.20	ppbv	0.01	AC-058	18-Nov-20
20110112-001	3-Methylheptane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	3-Methylhexane		0.14	ppbv	0.03	AC-058	18-Nov-20
20110112-001	3-Methylpentane		0.17	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Acetone		3.8	ppbv	0.6	AC-058	18-Nov-20
20110112-001	Acrolein	K, T, U	< 0.4	ppbv	0.4	AC-058	18-Nov-20
20110112-001	Benzene		0.28	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Benzyl chloride	K, T, U	< 0.6	ppbv	0.6	AC-058	18-Nov-20
20110112-001	Bromodichloromethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Bromoform	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Bromomethane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Carbon disulfide	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Carbon tetrachloride	I	0.11	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Chlorobenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID Pramp_Reno-20201111	CANISTER ID 31820	Matrix Ambient Air	DATE SAMPLED 11-Nov-20 2:25
DESCRIPTION: Methane Trigger			
REPORT NUMBER: 20110112	REPORT CREATED: 24-Nov-20		VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110112-001	Chloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Chloroform	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Chloromethane	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	cis-1,2-Dichloroethene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	cis-1,3-Dichloropropene	K, T, U	< 0.06	ppbv	0.06	AC-058	18-Nov-20
20110112-001	cis-2-Butene	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	cis-2-Pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Cyclohexane		0.36	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Cyclopentane		0.23	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Dibromochloromethane	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Ethanol		12.6	ppbv	0.4	AC-058	18-Nov-20
20110112-001	Ethyl acetate	K, T, U	< 0.6	ppbv	0.6	AC-058	18-Nov-20
20110112-001	Ethylbenzene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Freon-11	I	0.33	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Freon-113	I	0.15	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Freon-114	K, T, U	< 0.03	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Freon-12		0.53	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Hexachloro-1,3-butadiene	K, T, U	< 0.72	ppbv	0.72	AC-058	18-Nov-20
20110112-001	Isobutane		0.85	ppbv	0.03	AC-058	18-Nov-20
20110112-001	Isopentane		0.91	ppbv	0.04	AC-058	18-Nov-20
20110112-001	Isoprene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	Isopropyl alcohol		4.1	ppbv	0.6	AC-058	18-Nov-20
20110112-001	Isopropylbenzene	K, T, U	< 0.01	ppbv	0.01	AC-058	18-Nov-20
20110112-001	m,p-Xylene	K, T, U	< 0.04	ppbv	0.04	AC-058	18-Nov-20
20110112-001	m-Diethylbenzene	K, T, U	< 0.06	ppbv	0.06	AC-058	18-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID Pramp_Reno-20201111	CANISTER ID 31820	Matrix Ambient Air	DATE SAMPLED 11-Nov-20 2:25
DESCRIPTION: Methane Trigger			
REPORT NUMBER: 20110112	REPORT CREATED: 24-Nov-20		VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110112-001	m-Ethyltoluene	K, T, U	< 0.12 ppbv	0.12	AC-058	18-Nov-20
20110112-001	Methyl butyl ketone	K, T, U	< 0.72 ppbv	0.72	AC-058	18-Nov-20
20110112-001	Methyl ethyl ketone	K, T, U	< 0.4 ppbv	0.4	AC-058	18-Nov-20
20110112-001	Methyl isobutyl ketone	K, T, U	< 0.6 ppbv	0.6	AC-058	18-Nov-20
20110112-001	Methyl methacrylate	K, T, U	< 0.10 ppbv	0.10	AC-058	18-Nov-20
20110112-001	Methyl tert butyl ether	K, T, U	< 0.04 ppbv	0.04	AC-058	18-Nov-20
20110112-001	Methylcyclohexane	K, T, U	< 0.01 ppbv	0.01	AC-058	18-Nov-20
20110112-001	Methylcyclopentane		0.24 ppbv	0.03	AC-058	18-Nov-20
20110112-001	Methylene chloride	K, T, U	< 0.4 ppbv	0.4	AC-058	18-Nov-20
20110112-001	n-Butane		0.38 ppbv	0.04	AC-058	18-Nov-20
20110112-001	n-Decane	K, T, U	< 0.09 ppbv	0.09	AC-058	18-Nov-20
20110112-001	n-Dodecane	K, T, U	< 0.6 ppbv	0.6	AC-058	18-Nov-20
20110112-001	n-Heptane	K, T, U	< 0.01 ppbv	0.01	AC-058	18-Nov-20
20110112-001	n-Hexane		0.28 ppbv	0.01	AC-058	18-Nov-20
20110112-001	n-Octane	K, T, U	< 0.03 ppbv	0.03	AC-058	18-Nov-20
20110112-001	n-Pentane		0.4 ppbv	0.1	AC-058	18-Nov-20
20110112-001	n-Propylbenzene	K, T, U	< 0.07 ppbv	0.07	AC-058	18-Nov-20
20110112-001	n-Undecane	K, T, U	< 0.7 ppbv	0.7	AC-058	18-Nov-20
20110112-001	Naphthalene	K, T, U	< 0.7 ppbv	0.7	AC-058	18-Nov-20
20110112-001	n-Nonane	K, T, U	< 0.01 ppbv	0.01	AC-058	18-Nov-20
20110112-001	o-Ethyltoluene	K, T, U	< 0.01 ppbv	0.01	AC-058	18-Nov-20
20110112-001	o-Xylene	K, T, U	< 0.01 ppbv	0.01	AC-058	18-Nov-20
20110112-001	p-Diethylbenzene	K, T, U	< 0.06 ppbv	0.06	AC-058	18-Nov-20
20110112-001	p-Ethyltoluene	K, T, U	< 0.10 ppbv	0.10	AC-058	18-Nov-20
20110112-001	Styrene	K, T, U	< 0.06 ppbv	0.06	AC-058	18-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 24, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID Pramp_Reno-20201111	CANISTER ID 31820	Matrix Ambient Air	DATE SAMPLED 11-Nov-20 2:25
DESCRIPTION: Methane Trigger			
REPORT NUMBER: 20110112	REPORT CREATED: 24-Nov-20		VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110112-001	Tetrachloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	18-Nov-20
20110112-001	Tetrahydrofuran	K, T, U	< 0.6 ppbv	0.6	AC-058	18-Nov-20
20110112-001	Toluene		0.32 ppbv	0.01	AC-058	18-Nov-20
20110112-001	trans-1,2-Dichloroethylene		9.88 ppbv	0.01	AC-058	18-Nov-20
20110112-001	trans-1,3-Dichloropropylene	K, T, U	< 0.06 ppbv	0.06	AC-058	18-Nov-20
20110112-001	trans-2-Butene	K, T, U	< 0.01 ppbv	0.01	AC-058	18-Nov-20
20110112-001	trans-2-Pentene	K, T, U	< 0.03 ppbv	0.03	AC-058	18-Nov-20
20110112-001	Trichloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	18-Nov-20
20110112-001	Vinyl acetate	K, T, U	< 0.6 ppbv	0.6	AC-058	18-Nov-20
20110112-001	Vinyl chloride	K, T, U	< 0.03 ppbv	0.03	AC-058	18-Nov-20



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 13 of 18

Revision History

Order ID	Ver	Date	Reason
20110112	01	24-Nov-20	Report created

Methods

Method	Description
AC-058	Determination of Volatile Organic Compounds in Ambient Air by Gas Chromatography Mass Spectrometry
NA-024	Analysis for Reduced Sulfur Compounds in Air Samples
NA-025	Determination of Light Hydrocarbons (C1C4) in Ambient Air by Gas Chromatography Flame Ionization Detector

Qualifiers

Data Qualifier	Translation
-----------------------	--------------------

B	Blank contamination; Analyte detected above the method reporting limit in an associated blank
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
J1	Reported value is estimated; Surrogate recoveries limits were exceeded
J2	Reported value is estimated; No known QC criteria for this component
J3	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
J4	Reported value is estimated; The sample matrix interfered with the analysis
K	Off-scale low. Actual value is known to be less than the value given
L	Off-scale high. Actual value is known to be greater than value given
N	Non-target analyte; Tentatively identified compound (using mass spectroscopy)
Q	Sample held beyond the accepted holding time
R	Rejected data; Not suitable for the projects intended use
T	Value reported is less than the laboratory method detection limit
U	Compound was analyzed for but not detected
V	Analyte was detected in both the sample and the associated method blank



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 16 of 18

Order Comments

20110112

Return canister back to EAS when analysis is complete. Carbon Isotopic Analysis required.



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 17 of 18

Sample Comments



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 18 of 18

Result Comments

Note:

- 1. Results relate only to items tested and apply to the sample as received.*
- 2. This report shall not be reproduced, except in full, without the explicit approval of the laboratory.*