



PO Bag 4000
 Vegreville, Alberta
 Canada T9C 1T4
 (780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

RESULTS: Office Manager Peace River Area Monitoring Program Committee	CLIENT SAMPLE ID PRAMP_Reno_Blank	Matrix Ambient Air
	CANISTER ID: 28919 PRIORITY: Normal DESCRIPTION: Methane Blank	
INVOICE: Karla Reesor 403 807 2995	DATE SAMPLED: 13-Nov-20 REPORT CREATED: 26-Nov-20	DATE RECEIVED: 19-Nov-20 REPORT NUMBER: 20110154 VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110154-002	1-Butene	K, T, U	< 0.10	ppmv	0.10	NA-025	20-Nov-20
20110154-002	Acetylene	K, T, U	< 0.08	ppmv	0.08	NA-025	20-Nov-20
20110154-002	n-Butane	K, T, U	< 0.2	ppmv	0.2	NA-025	20-Nov-20
20110154-002	cis-2-Butene	K, T, U	< 0.04	ppmv	0.04	NA-025	20-Nov-20
20110154-002	Ethane	K, T, U	< 0.1	ppmv	0.1	NA-025	20-Nov-20
20110154-002	Ethylacetylene	K, T, U	< 0.06	ppmv	0.06	NA-025	20-Nov-20
20110154-002	Ethylene	K, T, U	< 0.07	ppmv	0.07	NA-025	20-Nov-20
20110154-002	Isobutane	K, T, U	< 0.1	ppmv	0.1	NA-025	20-Nov-20
20110154-002	Isobutylene	K, T, U	< 0.1	ppmv	0.1	NA-025	20-Nov-20
20110154-002	Methane		0.8	ppmv	0.1	NA-025	20-Nov-20
20110154-002	n-Propane	K, T, U	< 0.07	ppmv	0.07	NA-025	20-Nov-20
20110154-002	Propylene	K, T, U	< 0.1	ppmv	0.1	NA-025	20-Nov-20
20110154-002	Propyne	K, T, U	< 0.1	ppmv	0.1	NA-025	20-Nov-20
20110154-002	trans-2-Butene	K, T, U	< 0.09	ppmv	0.09	NA-025	20-Nov-20
20110154-002	2,5-Dimethylthiophene	K, Q, T, U	< 0.3	ppbv	0.3	NA-024	20-Nov-20
20110154-002	2-Ethylthiophene	K, Q, T, U	< 0.2	ppbv	0.2	NA-024	20-Nov-20
20110154-002	2-Methylthiophene	K, Q, T, U	< 0.2	ppbv	0.2	NA-024	20-Nov-20
20110154-002	3-Methylthiophene	K, Q, T, U	< 0.3	ppbv	0.3	NA-024	20-Nov-20

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno_Blank	28919	Ambient Air	13-Nov-20
DESCRIPTION:	Methane Blank		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
20110154	26-Nov-20		

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110154-002	Butyl mercaptan	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Carbon disulphide	K, Q, T, U	< 0.2 ppbv	0.2	NA-024	20-Nov-20
20110154-002	Carbonyl sulphide	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Dimethyl disulphide	K, Q, T, U	< 0.2 ppbv	0.2	NA-024	20-Nov-20
20110154-002	Dimethyl sulphide	K, Q, T, U	< 0.2 ppbv	0.2	NA-024	20-Nov-20
20110154-002	Ethyl mercaptan	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Ethyl sulphide	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Hydrogen sulphide	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Isobutyl mercaptan	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Isopropyl mercaptan	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Methyl mercaptan	K, Q, T, U	< 0.2 ppbv	0.2	NA-024	20-Nov-20
20110154-002	Pentyl mercaptan	K, Q, T, U	< 0.4 ppbv	0.4	NA-024	20-Nov-20
20110154-002	Propyl mercaptan	K, Q, T, U	< 0.4 ppbv	0.4	NA-024	20-Nov-20
20110154-002	tert-Butyl mercaptan	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-002	Thiophene	K, Q, T, U	< 0.2 ppbv	0.2	NA-024	20-Nov-20
20110154-002	1,1,1-Trichloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	1,1,2,2-Tetrachloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	1,1,2-Trichloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	1,1-Dichloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	1,1-Dichloroethylene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	1,2,3-Trimethylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	19-Nov-20
20110154-002	1,2,4-Trichlorobenzene	K, T, U	< 0.8 ppbv	0.8	AC-058	19-Nov-20
20110154-002	1,2,4-Trimethylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	19-Nov-20
20110154-002	1,2-Dibromoethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	1,2-Dichlorobenzene	K, T, U	< 0.03 ppbv	0.03	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	PRAMP_Reno_Blank	CANISTER ID	28919	Matrix	Ambient Air	DATE SAMPLED	13-Nov-20
DESCRIPTION:	Methane Blank						
REPORT NUMBER:	20110154	REPORT CREATED:	26-Nov-20	VERSION:	Version 01		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110154-002	1,2-Dichloroethane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	1,2-Dichloropropane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	1,3,5-Trimethylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-002	1,3-Butadiene	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-002	1,3-Dichlorobenzene	K, T, U	< 0.3	ppbv	0.3	AC-058	19-Nov-20
20110154-002	1,4-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	19-Nov-20
20110154-002	1,4-Dioxane	K, T, U	< 0.4	ppbv	0.4	AC-058	19-Nov-20
20110154-002	1-Butene/Isobutylene		0.46	ppbv	0.02	AC-058	19-Nov-20
20110154-002	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-002	1-Pentene	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	2,2,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	2,2-Dimethylbutane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	2,3,4-Trimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	2,3-Dimethylbutane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-002	2,3-Dimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-002	2,4-Dimethylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	2-Methylheptane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	2-Methylhexane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	2-Methylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	3-Methylheptane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-002	3-Methylhexane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-002	3-Methylpentane	K, T, U	< 0.01	ppbv	0.01	AC-058	19-Nov-20
20110154-002	Acetone	K, T, U	< 0.4	ppbv	0.4	AC-058	19-Nov-20
20110154-002	Acrolein	K, T, U	< 0.3	ppbv	0.3	AC-058	19-Nov-20
20110154-002	Benzene		0.09	ppbv	0.01	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno_Blank	28919	Ambient Air	13-Nov-20
DESCRIPTION:	Methane Blank		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
20110154	26-Nov-20		

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110154-002	Benzyl chloride	K, T, U	< 0.4 ppbv	0.4	AC-058	19-Nov-20
20110154-002	Bromodichloromethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Bromoform	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Bromomethane	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Carbon disulfide	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Carbon tetrachloride	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Chlorobenzene	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Chloroethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Chloroform	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Chloromethane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	cis-1,2-Dichloroethene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	cis-1,3-Dichloropropene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	cis-2-Butene	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	cis-2-Pentene	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Cyclohexane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Cyclopentane		4.15 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Dibromochloromethane	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Ethanol	K, T, U	< 0.3 ppbv	0.3	AC-058	19-Nov-20
20110154-002	Ethyl acetate	K, T, U	< 0.4 ppbv	0.4	AC-058	19-Nov-20
20110154-002	Ethylbenzene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Freon-11	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Freon-113	I	0.03 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Freon-114	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Freon-12	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Hexachloro-1,3-butadiene	K, T, U	< 0.50 ppbv	0.50	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno_Blank	28919	Ambient Air	13-Nov-20
DESCRIPTION:	Methane Blank		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
20110154	26-Nov-20		

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110154-002	Isobutane		0.30 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Isopentane		0.31 ppbv	0.03	AC-058	19-Nov-20
20110154-002	Isoprene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Isopropyl alcohol	K, T, U	< 0.4 ppbv	0.4	AC-058	19-Nov-20
20110154-002	Isopropylbenzene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	m,p-Xylene	K, T, U	< 0.03 ppbv	0.03	AC-058	19-Nov-20
20110154-002	m-Diethylbenzene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	m-Ethyltoluene	K, T, U	< 0.08 ppbv	0.08	AC-058	19-Nov-20
20110154-002	Methyl butyl ketone	K, T, U	< 0.50 ppbv	0.50	AC-058	19-Nov-20
20110154-002	Methyl ethyl ketone	K, T, U	< 0.3 ppbv	0.3	AC-058	19-Nov-20
20110154-002	Methyl isobutyl ketone	K, T, U	< 0.4 ppbv	0.4	AC-058	19-Nov-20
20110154-002	Methyl methacrylate	K, T, U	< 0.07 ppbv	0.07	AC-058	19-Nov-20
20110154-002	Methyl tert butyl ether	K, T, U	< 0.03 ppbv	0.03	AC-058	19-Nov-20
20110154-002	Methylcyclohexane	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	Methylcyclopentane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Methylene chloride	K, T, U	< 0.3 ppbv	0.3	AC-058	19-Nov-20
20110154-002	n-Butane		0.04 ppbv	0.03	AC-058	19-Nov-20
20110154-002	n-Decane	K, T, U	< 0.06 ppbv	0.06	AC-058	19-Nov-20
20110154-002	n-Dodecane	K, T, U	< 0.4 ppbv	0.4	AC-058	19-Nov-20
20110154-002	n-Heptane	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	n-Hexane		0.17 ppbv	0.01	AC-058	19-Nov-20
20110154-002	n-Octane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	n-Pentane		0.1 ppbv	0.1	AC-058	19-Nov-20
20110154-002	n-Propylbenzene	K, T, U	< 0.05 ppbv	0.05	AC-058	19-Nov-20
20110154-002	n-Undecane	K, T, U	< 0.5 ppbv	0.5	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno_Blank	28919	Ambient Air	13-Nov-20
DESCRIPTION:	Methane Blank		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
20110154	26-Nov-20		

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110154-002	Naphthalene	K, T, U	< 0.5 ppbv	0.5	AC-058	19-Nov-20
20110154-002	n-Nonane	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	o-Ethyltoluene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	o-Xylene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	p-Diethylbenzene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	p-Ethyltoluene	K, T, U	< 0.07 ppbv	0.07	AC-058	19-Nov-20
20110154-002	Styrene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	Tetrachloroethylene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	Tetrahydrofuran	K, T, U	< 0.4 ppbv	0.4	AC-058	19-Nov-20
20110154-002	Toluene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	trans-1,2-Dichloroethylene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	trans-1,3-Dichloropropylene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	trans-2-Butene	K, T, U	< 0.01 ppbv	0.01	AC-058	19-Nov-20
20110154-002	trans-2-Pentene	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-002	Trichloroethylene	K, T, U	< 0.04 ppbv	0.04	AC-058	19-Nov-20
20110154-002	Vinyl acetate	K, T, U	< 0.4 ppbv	0.4	AC-058	19-Nov-20
20110154-002	Vinyl chloride	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20201113	29002	Ambient Air	13-Nov-20	17:00
DESCRIPTION:	Methane Trigger			
REPORT NUMBER:	20110154	REPORT CREATED:	26-Nov-20	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110154-001	1-Butene	K, T, U	< 0.16 ppmv	0.16	NA-025	20-Nov-20
20110154-001	Acetylene	K, T, U	< 0.13 ppmv	0.13	NA-025	20-Nov-20
20110154-001	n-Butane	K, T, U	< 0.3 ppmv	0.3	NA-025	20-Nov-20
20110154-001	cis-2-Butene	K, T, U	< 0.06 ppmv	0.06	NA-025	20-Nov-20
20110154-001	Ethane	K, T, U	< 0.2 ppmv	0.2	NA-025	20-Nov-20
20110154-001	Ethylacetylene	K, T, U	< 0.09 ppmv	0.09	NA-025	20-Nov-20
20110154-001	Ethylene	K, T, U	< 0.11 ppmv	0.11	NA-025	20-Nov-20
20110154-001	Isobutane	K, T, U	< 0.2 ppmv	0.2	NA-025	20-Nov-20
20110154-001	Isobutylene	K, T, U	< 0.2 ppmv	0.2	NA-025	20-Nov-20
20110154-001	Methane		3.0 ppmv	0.2	NA-025	20-Nov-20
20110154-001	n-Propane	K, T, U	< 0.11 ppmv	0.11	NA-025	20-Nov-20
20110154-001	Propylene	K, T, U	< 0.2 ppmv	0.2	NA-025	20-Nov-20
20110154-001	Propyne	K, T, U	< 0.2 ppmv	0.2	NA-025	20-Nov-20
20110154-001	trans-2-Butene	K, T, U	< 0.14 ppmv	0.14	NA-025	20-Nov-20
20110154-001	2,5-Dimethylthiophene	K, Q, T, U	< 0.5 ppbv	0.5	NA-024	20-Nov-20
20110154-001	2-Ethylthiophene	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-001	2-Methylthiophene	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-001	3-Methylthiophene	K, Q, T, U	< 0.5 ppbv	0.5	NA-024	20-Nov-20
20110154-001	Butyl mercaptan	K, Q, T, U	< 0.5 ppbv	0.5	NA-024	20-Nov-20
20110154-001	Carbon disulphide	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-001	Carbonyl sulphide	K, Q, T, U	< 0.5 ppbv	0.5	NA-024	20-Nov-20
20110154-001	Dimethyl disulphide	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-001	Dimethyl sulphide	K, Q, T, U	< 0.3 ppbv	0.3	NA-024	20-Nov-20
20110154-001	Ethyl mercaptan	K, Q, T, U	< 0.5 ppbv	0.5	NA-024	20-Nov-20
20110154-001	Ethyl sulphide	K, Q, T, U	< 0.5 ppbv	0.5	NA-024	20-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-20201113	29002	Ambient Air	13-Nov-20 17:00
DESCRIPTION:	Methane Trigger		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
20110154	26-Nov-20		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110154-001	Hydrogen sulphide	K, Q, T, U	< 0.5	ppbv	0.5	NA-024	20-Nov-20
20110154-001	Isobutyl mercaptan	K, Q, T, U	< 0.5	ppbv	0.5	NA-024	20-Nov-20
20110154-001	Isopropyl mercaptan	K, Q, T, U	< 0.5	ppbv	0.5	NA-024	20-Nov-20
20110154-001	Methyl mercaptan	K, Q, T, U	< 0.3	ppbv	0.3	NA-024	20-Nov-20
20110154-001	Pentyl mercaptan	K, Q, T, U	< 0.6	ppbv	0.6	NA-024	20-Nov-20
20110154-001	Propyl mercaptan	K, Q, T, U	< 0.6	ppbv	0.6	NA-024	20-Nov-20
20110154-001	tert-Butyl mercaptan	K, Q, T, U	< 0.5	ppbv	0.5	NA-024	20-Nov-20
20110154-001	Thiophene	K, Q, T, U	< 0.3	ppbv	0.3	NA-024	20-Nov-20
20110154-001	1,1,1-Trichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1,1,2,2-Tetrachloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1,1,2-Trichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1,1-Dichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1,1-Dichloroethylene	K, T, U	< 0.06	ppbv	0.06	AC-058	19-Nov-20
20110154-001	1,2,3-Trimethylbenzene	K, T, U	< 0.08	ppbv	0.08	AC-058	19-Nov-20
20110154-001	1,2,4-Trichlorobenzene	K, T, U	< 1.3	ppbv	1.3	AC-058	19-Nov-20
20110154-001	1,2,4-Trimethylbenzene	K, T, U	< 0.08	ppbv	0.08	AC-058	19-Nov-20
20110154-001	1,2-Dibromoethane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1,2-Dichlorobenzene	K, T, U	< 0.05	ppbv	0.05	AC-058	19-Nov-20
20110154-001	1,2-Dichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	1,2-Dichloropropane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	1,3,5-Trimethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1,3-Butadiene	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1,3-Dichlorobenzene	K, T, U	< 0.5	ppbv	0.5	AC-058	19-Nov-20
20110154-001	1,4-Dichlorobenzene	K, T, U	< 0.6	ppbv	0.6	AC-058	19-Nov-20
20110154-001	1,4-Dioxane	K, T, U	< 0.6	ppbv	0.6	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20201113	29002	Ambient Air	13-Nov-20	17:00
DESCRIPTION:	Methane Trigger			
REPORT NUMBER:	20110154	REPORT CREATED:	26-Nov-20	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110154-001	1-Butene/Isobutylene		0.45	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	1-Pentene		0.30	ppbv	0.02	AC-058	19-Nov-20
20110154-001	2,2,4-Trimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	2,2-Dimethylbutane		0.14	ppbv	0.02	AC-058	19-Nov-20
20110154-001	2,3,4-Trimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	2,3-Dimethylbutane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	2,3-Dimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	2,4-Dimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	2-Methylheptane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	2-Methylhexane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	2-Methylpentane		0.19	ppbv	0.02	AC-058	19-Nov-20
20110154-001	3-Methylheptane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	3-Methylhexane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	3-Methylpentane		0.15	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Acetone		2.5	ppbv	0.6	AC-058	19-Nov-20
20110154-001	Acrolein	K, T, U	< 0.5	ppbv	0.5	AC-058	19-Nov-20
20110154-001	Benzene		0.28	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Benzyl chloride	K, T, U	< 0.6	ppbv	0.6	AC-058	19-Nov-20
20110154-001	Bromodichloromethane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Bromoform	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Bromomethane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Carbon disulfide	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Carbon tetrachloride	I	0.15	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Chlorobenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20201113	29002	Ambient Air	13-Nov-20	17:00
DESCRIPTION:	Methane Trigger			
REPORT NUMBER:	20110154	REPORT CREATED:	26-Nov-20	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
20110154-001	Chloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Chloroform	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Chloromethane		0.85	ppbv	0.03	AC-058	19-Nov-20
20110154-001	cis-1,2-Dichloroethene	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	cis-1,3-Dichloropropene	K, T, U	< 0.06	ppbv	0.06	AC-058	19-Nov-20
20110154-001	cis-2-Butene	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	cis-2-Pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Cyclohexane	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Cyclopentane		2.13	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Dibromochloromethane	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Ethanol		1.6	ppbv	0.5	AC-058	19-Nov-20
20110154-001	Ethyl acetate	K, T, U	< 0.6	ppbv	0.6	AC-058	19-Nov-20
20110154-001	Ethylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Freon-11	I	0.47	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Freon-113	I	0.19	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Freon-114	K, T, U	< 0.03	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Freon-12		0.74	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Hexachloro-1,3-butadiene	K, T, U	< 0.78	ppbv	0.78	AC-058	19-Nov-20
20110154-001	Isobutane		1.25	ppbv	0.03	AC-058	19-Nov-20
20110154-001	Isopentane		1.34	ppbv	0.05	AC-058	19-Nov-20
20110154-001	Isoprene	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	Isopropyl alcohol		2.2	ppbv	0.6	AC-058	19-Nov-20
20110154-001	Isopropylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	19-Nov-20
20110154-001	m,p-Xylene	K, T, U	< 0.05	ppbv	0.05	AC-058	19-Nov-20
20110154-001	m-Diethylbenzene	K, T, U	< 0.06	ppbv	0.06	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20201113	29002	Ambient Air	13-Nov-20	17:00
DESCRIPTION:	Methane Trigger			
REPORT NUMBER:	REPORT CREATED:	VERSION:		Version 01
20110154	26-Nov-20			

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110154-001	m-Ethyltoluene	K, T, U	< 0.13 ppbv	0.13	AC-058	19-Nov-20
20110154-001	Methyl butyl ketone	K, T, U	< 0.78 ppbv	0.78	AC-058	19-Nov-20
20110154-001	Methyl ethyl ketone	K, T, U	< 0.5 ppbv	0.5	AC-058	19-Nov-20
20110154-001	Methyl isobutyl ketone	K, T, U	< 0.6 ppbv	0.6	AC-058	19-Nov-20
20110154-001	Methyl methacrylate	K, T, U	< 0.11 ppbv	0.11	AC-058	19-Nov-20
20110154-001	Methyl tert butyl ether	K, T, U	< 0.05 ppbv	0.05	AC-058	19-Nov-20
20110154-001	Methylcyclohexane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-001	Methylcyclopentane		0.19 ppbv	0.03	AC-058	19-Nov-20
20110154-001	Methylene chloride	K, T, U	< 0.5 ppbv	0.5	AC-058	19-Nov-20
20110154-001	n-Butane		1.38 ppbv	0.05	AC-058	19-Nov-20
20110154-001	n-Decane	K, T, U	< 0.09 ppbv	0.09	AC-058	19-Nov-20
20110154-001	n-Dodecane	K, T, U	< 0.6 ppbv	0.6	AC-058	19-Nov-20
20110154-001	n-Heptane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-001	n-Hexane		0.31 ppbv	0.02	AC-058	19-Nov-20
20110154-001	n-Octane	K, T, U	< 0.03 ppbv	0.03	AC-058	19-Nov-20
20110154-001	n-Pentane		0.8 ppbv	0.2	AC-058	19-Nov-20
20110154-001	n-Propylbenzene	K, T, U	< 0.08 ppbv	0.08	AC-058	19-Nov-20
20110154-001	n-Undecane	K, T, U	< 0.8 ppbv	0.8	AC-058	19-Nov-20
20110154-001	Naphthalene	K, T, U	< 0.8 ppbv	0.8	AC-058	19-Nov-20
20110154-001	n-Nonane	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-001	o-Ethyltoluene	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-001	o-Xylene	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-001	p-Diethylbenzene	K, T, U	< 0.06 ppbv	0.06	AC-058	19-Nov-20
20110154-001	p-Ethyltoluene	K, T, U	< 0.11 ppbv	0.11	AC-058	19-Nov-20
20110154-001	Styrene	K, T, U	< 0.06 ppbv	0.06	AC-058	19-Nov-20

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: November 26, 2020

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20201113	29002	Ambient Air	13-Nov-20	17:00
DESCRIPTION:	Methane Trigger			
REPORT NUMBER:	20110154	REPORT CREATED:	26-Nov-20	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
20110154-001	Tetrachloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	19-Nov-20
20110154-001	Tetrahydrofuran	K, T, U	< 0.6 ppbv	0.6	AC-058	19-Nov-20
20110154-001	Toluene		0.24 ppbv	0.02	AC-058	19-Nov-20
20110154-001	trans-1,2-Dichloroethylene		1.69 ppbv	0.02	AC-058	19-Nov-20
20110154-001	trans-1,3-Dichloropropylene	K, T, U	< 0.06 ppbv	0.06	AC-058	19-Nov-20
20110154-001	trans-2-Butene	K, T, U	< 0.02 ppbv	0.02	AC-058	19-Nov-20
20110154-001	trans-2-Pentene	K, T, U	< 0.03 ppbv	0.03	AC-058	19-Nov-20
20110154-001	Trichloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	19-Nov-20
20110154-001	Vinyl acetate	K, T, U	< 0.6 ppbv	0.6	AC-058	19-Nov-20
20110154-001	Vinyl chloride	K, T, U	< 0.03 ppbv	0.03	AC-058	19-Nov-20



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Revision History

Order ID	Ver	Date	Reason
20110154	01	26-Nov-20	Report created

Methods

Method	Description
AC-058	Determination of Volatile Organic Compounds in Ambient Air by Gas Chromatography Mass Spectrometry
NA-024	Analysis for Reduced Sulfur Compounds in Air Samples
NA-025	Determination of Light Hydrocarbons (C1C4) in Ambient Air by Gas Chromatography Flame Ionization Detector

Qualifiers

Data Qualifier Translation

B	Blank contamination; Analyte detected above the method reporting limit in an associated blank
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
J1	Reported value is estimated; Surrogate recoveries limits were exceeded
J2	Reported value is estimated; No known QC criteria for this component
J3	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
J4	Reported value is estimated; The sample matrix interfered with the analysis
K	Off-scale low. Actual value is known to be less than the value given
L	Off-scale high. Actual value is known to be greater than value given
N	Non-target analyte; Tentatively identified compound (using mass spectroscopy)
Q	Sample held beyond the accepted holding time
R	Rejected data; Not suitable for the projects intended use
T	Value reported is less than the laboratory method detection limit
U	Compound was analyzed for but not detected
V	Analyte was detected in both the sample and the associated method blank



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 16 of 18

Order Comments

20110154

Return canister back to EAS when analysis is complete. Carbon Isotopic Analysis required.



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 17 of 18

Sample Comments



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 18 of 18

Result Comments

Note:

- 1. Results relate only to items tested and apply to the sample as received.*
- 2. This report shall not be reproduced, except in full, without the explicit approval of the laboratory.*