




Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

**EAS CANISTER**  
**Sample ID 21010044-001** Priority Normal



Customer ID: PRAMP  
 Cust Samp ID: PRAMP\_986-2021/01/09



**Client Contact Details:**

Contact: Karla Ressor, Michael Bisaga/ Lily Lin  
 Company: PRAMP Airshed  
 PO#:  842 Station  986 Station  Reno Station  
 Address:  842 (Lat. 56.27406N, Long. 116.98129W)  
 986 (Lat. 56.36988N, Long. 116.925636W)  
 Reno (Lat. 55.86936N, Long. 117.05739W)  
 Telephone: 403-8072995, 780-2667068/587-2252248  
 Email: karla@prampairshed.ca, pramptech@prampairshed.ca

**RUSH (Surcharge)**


Invoice Instructions:  
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
pramptech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to karla@prampairshed.ca  
 and pramptech@prampairshed.ca


InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519  
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP_station_yyyymmdd)	Canister Number	Sample Description	Date/Time Sampled		Analysis Requested
			Date (dd/mm/yy)	From/To Time (24 Hr) (MST)	
PRAMP_842- (Sample date: yyyymmdd)	<u>28886</u> →	<input type="checkbox"/> Methane Trigger <input checked="" type="checkbox"/> NMHC Trigger <input type="checkbox"/> Methane Blank	<u>08/01/21</u>	<u>11:35am</u>	* AIR CIC4, AIR VOC, AIR RSC * Unknown to be reported
PRAMP_986- (Sample date: yyyymmdd)	<u>28969</u> →	<input checked="" type="checkbox"/> NMHC Blank <input type="checkbox"/> Expired Canister – No further analysis is required.			* Carbon Isotopic Analysis (if sample is collected from Methane trigger)

**Sample Collection:**

Collect By Dwayne Stapanuk (Name) of nlb (Company) on Jan 9/2021 @ 11:30am (Date/Time (MST)).

 <p>Canister ID: <u>28886</u></p> <p>This cleaned canister meets or exceeds TO-15 Method Specifications</p> <p>Proofed by: <u>DOSY</u> on: <u>NOV 13 2020</u></p> <p>Evacuated: <u>NOV 18 2020</u> Recertified: <u>DEC 09 2020</u></p> <p>(Use within: 3 months from evacuation or recertification date)</p> <p>Laboratory Contact Number: 780-632-8403</p>	<p>Sample ID: <u>PRAMP-986-2021-01-08</u></p>
	<p>Sampled By: <u>Dwayne Stepanuk</u></p>
<p>Starting Vacuum: <u>-26.8</u> "Hg</p>	<p>End Vacuum: <u>-2</u> <del>KG</del> <del>-2</del> "Hg/psig</p>

 <p>Canister ID: <u>28968</u></p> <p>This cleaned canister meets or exceeds TO-15 Method Specifications</p> <p>Proofed by: <u>DOSY</u> on: <u>NOV 12 2020</u></p> <p>Evacuated: <u>NOV 16 2020</u> Recertified: <u>DEC 09 2020</u></p> <p>(Use within: 3 months from evacuation or recertification date)</p> <p>Laboratory Contact Number: 780-632-8403</p>	<p>Sample ID: <u>PRAMP-986-NMHC-Blank</u></p>
	<p>Sampled By: <u>Dwayne Stepanuk</u></p>
<p>Starting Vacuum: <u>-27.0</u> "Hg</p>	<p>End Vacuum: <u>-27.0</u> <del>KG</del> <del>-27</del> "Hg/psig</p>

Sample ID 21010044-001 Priority Normal



Customer ID: PRAMP  
 Cust Samp ID: PRAMP\_986-2021/01/09