



PO Bag 4000  
Vegreville, Alberta  
Canada T9C 1T4  
(780) 632-8211

# ENVIRONMENTAL ANALYTICAL SERVICES

## TEST REPORT

<p><b>RESULTS:</b> Karla Reesor                      403 807 2995 Peace River Area Monitoring Program Committee</p> <p><b>INVOICE:</b> Office Manager</p>	<p style="text-align: center;"><b>CLIENT SAMPLE ID</b> PRAMP_842-2021/06/29</p> <p><b>CANISTER ID:</b> 29030 <b>PRIORITY:</b> Normal <b>DESCRIPTION:</b> NMHC Trigger</p> <p><b>DATE SAMPLED:</b> 28-Jun-21      21:00      <b>DATE RECEIVED:</b> 30-Jun-21 <b>REPORT CREATED:</b> 22-Jul-21      <b>REPORT NUMBER:</b> 21060324 <b>VERSION:</b> Version 01</p>
---	---

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-001	1-Butene	K, T, U	< 0.15	ppmv	0.15	NA-025	02-Jul-21
21060324-001	Acetylene	K, T, U	< 0.12	ppmv	0.12	NA-025	02-Jul-21
21060324-001	n-Butane	K, T, U	< 0.3	ppmv	0.3	NA-025	02-Jul-21
21060324-001	cis-2-Butene	K, T, U	< 0.06	ppmv	0.06	NA-025	02-Jul-21
21060324-001	Ethane	K, T, U	< 0.2	ppmv	0.2	NA-025	02-Jul-21
21060324-001	Ethylacetylene	K, T, U	< 0.09	ppmv	0.09	NA-025	02-Jul-21
21060324-001	Ethylene	K, T, U	< 0.10	ppmv	0.10	NA-025	02-Jul-21
21060324-001	Isobutane	K, T, U	< 0.2	ppmv	0.2	NA-025	02-Jul-21
21060324-001	Isobutylene	K, T, U	< 0.2	ppmv	0.2	NA-025	02-Jul-21
21060324-001	Methane		1.8	ppmv	0.2	NA-025	02-Jul-21
21060324-001	n-Propane	K, T, U	< 0.10	ppmv	0.10	NA-025	02-Jul-21
21060324-001	Propylene	K, T, U	< 0.2	ppmv	0.2	NA-025	02-Jul-21
21060324-001	Propyne	K, T, U	< 0.2	ppmv	0.2	NA-025	02-Jul-21
21060324-001	trans-2-Butene	K, T, U	< 0.14	ppmv	0.14	NA-025	02-Jul-21
21060324-001	2,5-Dimethylthiophene	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	2-Ethylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-001	2-Methylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-001	3-Methylthiophene	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>	
PRAMP_842-2021/06/29	29030	Ambient Air	28-Jun-21	21:00
<b>DESCRIPTION:</b>	NMHC Trigger			
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21	<b>VERSION:</b> Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-001	Butyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Carbon disulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-001	Carbonyl sulphide	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Dimethyl disulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-001	Dimethyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-001	Ethyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Ethyl sulphide	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Hydrogen sulphide	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Isobutyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Isopropyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Methyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-001	Pentyl mercaptan	K, T, U	< 0.6	ppbv	0.6	NA-024	02-Jul-21
21060324-001	Propyl mercaptan	K, T, U	< 0.6	ppbv	0.6	NA-024	02-Jul-21
21060324-001	tert-Butyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-001	Thiophene/sec-Butyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-001	1,1,1-Trichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	1,1,2,2-Tetrachloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	1,1,2-Trichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	1,1-Dichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	1,1-Dichloroethylene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	1,2,3-Trimethylbenzene		0.28	ppbv	0.08	AC-058	06-Jul-21
21060324-001	1,2,4-Trichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	1,2,4-Trimethylbenzene		0.50	ppbv	0.04	AC-058	06-Jul-21
21060324-001	1,2-Dibromoethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	1,2-Dichlorobenzene	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>	
PRAMP_842-2021/06/29	29030	Ambient Air	28-Jun-21	21:00
<b>DESCRIPTION:</b>	NMHC Trigger			
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21	<b>VERSION:</b> Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-001	1,2-Dichloroethane	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	1,2-Dichloropropane	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	1,3,5-Trimethylbenzene	I	0.24	ppbv	0.04	AC-058	06-Jul-21
21060324-001	1,3-Butadiene	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	1,3-Dichlorobenzene	K, T, U	< 0.6	ppbv	0.6	AC-058	06-Jul-21
21060324-001	1,4-Dichlorobenzene	K, T, U	< 0.6	ppbv	0.6	AC-058	06-Jul-21
21060324-001	1,4-Dioxane	K, T, U	< 0.8	ppbv	0.8	AC-058	06-Jul-21
21060324-001	1-Butene/Isobutylene		1.37	ppbv	0.09	AC-058	06-Jul-21
21060324-001	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.10	ppbv	0.10	AC-058	06-Jul-21
21060324-001	1-Pentene		0.21	ppbv	0.04	AC-058	06-Jul-21
21060324-001	2,2,4-Trimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	2,2-Dimethylbutane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	2,3,4-Trimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	2,3-Dimethylbutane		0.96	ppbv	0.14	AC-058	06-Jul-21
21060324-001	2,3-Dimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	2,4-Dimethylpentane	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	2-Methylheptane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	2-Methylhexane	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	2-Methylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	3-Methylheptane	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	3-Methylhexane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	3-Methylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Acetone		9.2	ppbv	0.6	AC-058	06-Jul-21
21060324-001	Acrolein	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Benzene	I	0.13	ppbv	0.04	AC-058	06-Jul-21

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>	
PRAMP_842-2021/06/29	29030	Ambient Air	28-Jun-21	21:00
<b>DESCRIPTION:</b>	NMHC Trigger			
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21	<b>VERSION:</b> Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-001	Benzyl chloride	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Bromodichloromethane	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	Bromoform	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Bromomethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Carbon disulfide	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Carbon tetrachloride	I	0.08	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Chlorobenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Chloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Chloroform	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Chloromethane		0.60	ppbv	0.06	AC-058	06-Jul-21
21060324-001	cis-1,2-Dichloroethene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	cis-1,3-Dichloropropene	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	cis-2-Butene	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	cis-2-Pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Cyclohexane	K, T, U	< 0.06	ppbv	0.06	AC-058	06-Jul-21
21060324-001	Cyclopentane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Dibromochloromethane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Ethanol		9.5	ppbv	0.8	AC-058	06-Jul-21
21060324-001	Ethyl acetate	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Ethylbenzene	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	Freon-11		0.20	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Freon-113	I	0.07	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Freon-114	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	Freon-12		0.46	ppbv	0.04	AC-058	06-Jul-21
21060324-001	Hexachloro-1,3-butadiene	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>	
PRAMP_842-2021/06/29	29030	Ambient Air	28-Jun-21	21:00
<b>DESCRIPTION:</b>	NMHC Trigger			
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21	<b>VERSION:</b> Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-001	Isobutane		1.02	ppbv	0.04	AC-058	06-Jul-21
21060324-001	Isopentane		0.38	ppbv	0.06	AC-058	06-Jul-21
21060324-001	Isoprene		55.8	ppbv	0.09	AC-058	06-Jul-21
21060324-001	Isopropyl alcohol		0.9	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Isopropylbenzene	K, T, U	< 0.06	ppbv	0.06	AC-058	06-Jul-21
21060324-001	m,p-Xylene	I	0.39	ppbv	0.06	AC-058	06-Jul-21
21060324-001	m-Diethylbenzene		0.21	ppbv	0.03	AC-058	06-Jul-21
21060324-001	m-Ethyltoluene		0.20	ppbv	0.04	AC-058	06-Jul-21
21060324-001	Methyl butyl ketone	K, T, U	< 0.6	ppbv	0.6	AC-058	06-Jul-21
21060324-001	Methyl ethyl ketone		1.1	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Methyl isobutyl ketone	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Methyl methacrylate	K, T, U	< 0.12	ppbv	0.12	AC-058	06-Jul-21
21060324-001	Methyl tert butyl ether	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	Methylcyclohexane	I	0.12	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Methylcyclopentane	I	0.11	ppbv	0.08	AC-058	06-Jul-21
21060324-001	Methylene chloride	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	n-Butane		0.52	ppbv	0.03	AC-058	06-Jul-21
21060324-001	n-Decane	K, T, U	< 0.09	ppbv	0.09	AC-058	06-Jul-21
21060324-001	n-Dodecane	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	n-Heptane	K, T, U	< 0.06	ppbv	0.06	AC-058	06-Jul-21
21060324-001	n-Hexane	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	n-Octane	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	n-Pentane		0.24	ppbv	0.06	AC-058	06-Jul-21
21060324-001	n-Propylbenzene	K, T, U	< 0.09	ppbv	0.09	AC-058	06-Jul-21
21060324-001	n-Undecane	K, T, U	< 0.8	ppbv	0.8	AC-058	06-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>	
PRAMP_842-2021/06/29	29030	Ambient Air	28-Jun-21	21:00
<b>DESCRIPTION:</b>	NMHC Trigger			
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21	<b>VERSION:</b> Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-001	Naphthalene	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	n-Nonane	K, T, U	< 0.06	ppbv	0.06	AC-058	06-Jul-21
21060324-001	o-Ethyltoluene		0.18	ppbv	0.03	AC-058	06-Jul-21
21060324-001	o-Xylene	I	0.27	ppbv	0.04	AC-058	06-Jul-21
21060324-001	p-Diethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	p-Ethyltoluene	K, T, U	< 0.06	ppbv	0.06	AC-058	06-Jul-21
21060324-001	Styrene		0.33	ppbv	0.06	AC-058	06-Jul-21
21060324-001	Tetrachloroethylene		0.20	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Tetrahydrofuran	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Toluene	I	0.24	ppbv	0.04	AC-058	06-Jul-21
21060324-001	trans-1,2-Dichloroethylene		3.15	ppbv	0.09	AC-058	06-Jul-21
21060324-001	trans-1,3-Dichloropropylene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	trans-2-Butene	K, T, U	< 0.04	ppbv	0.04	AC-058	06-Jul-21
21060324-001	trans-2-Pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Trichloroethylene	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21
21060324-001	Vinyl acetate	K, T, U	< 0.4	ppbv	0.4	AC-058	06-Jul-21
21060324-001	Vinyl chloride	K, T, U	< 0.03	ppbv	0.03	AC-058	06-Jul-21

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>	
PRAMP_842-2021/06/29-Blank	28957	Ambient Air	28-Jun-21	21:00
<b>DESCRIPTION:</b>	NMHC Blank			
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21	<b>VERSION:</b> Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-002	1-Butene	K, T, U	< 0.10	ppmv	0.10	NA-025	02-Jul-21
21060324-002	Acetylene	K, T, U	< 0.08	ppmv	0.08	NA-025	02-Jul-21
21060324-002	n-Butane	K, T, U	< 0.2	ppmv	0.2	NA-025	02-Jul-21
21060324-002	cis-2-Butene	K, T, U	< 0.04	ppmv	0.04	NA-025	02-Jul-21
21060324-002	Ethane	K, T, U	< 0.1	ppmv	0.1	NA-025	02-Jul-21
21060324-002	Ethylacetylene	K, T, U	< 0.06	ppmv	0.06	NA-025	02-Jul-21
21060324-002	Ethylene	K, T, U	< 0.07	ppmv	0.07	NA-025	02-Jul-21
21060324-002	Isobutane	K, T, U	< 0.1	ppmv	0.1	NA-025	02-Jul-21
21060324-002	Isobutylene	K, T, U	< 0.1	ppmv	0.1	NA-025	02-Jul-21
21060324-002	Methane	K, T, U	< 0.1	ppmv	0.1	NA-025	02-Jul-21
21060324-002	n-Propane	K, T, U	< 0.07	ppmv	0.07	NA-025	02-Jul-21
21060324-002	Propylene	K, T, U	< 0.1	ppmv	0.1	NA-025	02-Jul-21
21060324-002	Propyne	K, T, U	< 0.1	ppmv	0.1	NA-025	02-Jul-21
21060324-002	trans-2-Butene	K, T, U	< 0.09	ppmv	0.09	NA-025	02-Jul-21
21060324-002	2,5-Dimethylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	2-Ethylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	02-Jul-21
21060324-002	2-Methylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	02-Jul-21
21060324-002	3-Methylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Butyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Carbon disulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	02-Jul-21
21060324-002	Carbonyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Dimethyl disulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	02-Jul-21
21060324-002	Dimethyl sulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	02-Jul-21
21060324-002	Ethyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Ethyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>
PRAMP_842-2021/06/29-Blank	28957	Ambient Air	28-Jun-21 21:00
<b>DESCRIPTION:</b>	NMHC Blank		
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21
		<b>VERSION:</b>	Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-002	Hydrogen sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Isobutyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Isopropyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Methyl mercaptan	K, T, U	< 0.2	ppbv	0.2	NA-024	02-Jul-21
21060324-002	Pentyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-002	Propyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	02-Jul-21
21060324-002	tert-Butyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	02-Jul-21
21060324-002	Thiophene/sec-Butyl mercaptan	K, T, U	< 0.2	ppbv	0.2	NA-024	02-Jul-21
21060324-002	1,1,1-Trichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	1,1,2,2-Tetrachloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	1,1,2-Trichloroethane	I	0.04	ppbv	0.02	AC-058	05-Jul-21
21060324-002	1,1-Dichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	1,1-Dichloroethylene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	1,2,3-Trimethylbenzene	K, T, U	< 0.05	ppbv	0.05	AC-058	05-Jul-21
21060324-002	1,2,4-Trichlorobenzene	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	1,2,4-Trimethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	1,2-Dibromoethane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	1,2-Dichlorobenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	1,2-Dichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	1,2-Dichloropropane	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	1,3,5-Trimethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	1,3-Butadiene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	1,3-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	05-Jul-21
21060324-002	1,4-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	05-Jul-21
21060324-002	1,4-Dioxane	K, T, U	< 0.5	ppbv	0.5	AC-058	05-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca



<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>
PRAMP_842-2021/06/29-Blank	28957	Ambient Air	28-Jun-21 21:00
<b>DESCRIPTION:</b>	NMHC Blank		
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21
		<b>VERSION:</b>	Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-002	1-Butene/Isobutylene	K, T, U	< 0.06	ppbv	0.06	AC-058	05-Jul-21
21060324-002	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.07	ppbv	0.07	AC-058	05-Jul-21
21060324-002	1-Pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	2,2,4-Trimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	2,2-Dimethylbutane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	2,3,4-Trimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	2,3-Dimethylbutane	K, T, U	< 0.09	ppbv	0.09	AC-058	05-Jul-21
21060324-002	2,3-Dimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	2,4-Dimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	2-Methylheptane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	2-Methylhexane	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	2-Methylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	3-Methylheptane	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	3-Methylhexane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	3-Methylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Acetone	K, T, U	< 0.4	ppbv	0.4	AC-058	05-Jul-21
21060324-002	Acrolein	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	Benzene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Benzyl chloride	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	Bromodichloromethane	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Bromoform	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Bromomethane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Carbon disulfide	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Carbon tetrachloride	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Chlorobenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>
PRAMP_842-2021/06/29-Blank	28957	Ambient Air	28-Jun-21 21:00
<b>DESCRIPTION:</b>	NMHC Blank		
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21
		<b>VERSION:</b>	Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-002	Chloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Chloroform	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Chloromethane	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	cis-1,2-Dichloroethene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	cis-1,3-Dichloropropene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	cis-2-Butene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	cis-2-Pentene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Cyclohexane	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	Cyclopentane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Dibromochloromethane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Ethanol	K, T, U	< 0.5	ppbv	0.5	AC-058	05-Jul-21
21060324-002	Ethyl acetate	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	Ethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Freon-11	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Freon-113	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Freon-114	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Freon-12	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Hexachloro-1,3-butadiene	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	Isobutane		0.28	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Isopentane	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	Isoprene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Isopropyl alcohol	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	Isopropylbenzene	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	m,p-Xylene	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	m-Diethylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>
PRAMP_842-2021/06/29-Blank	28957	Ambient Air	28-Jun-21 21:00
<b>DESCRIPTION:</b>	NMHC Blank		
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21
		<b>VERSION:</b>	Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
21060324-002	m-Ethyltoluene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Methyl butyl ketone	K, T, U	< 0.4	ppbv	0.4	AC-058	05-Jul-21
21060324-002	Methyl ethyl ketone	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	Methyl isobutyl ketone	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	Methyl methacrylate	K, T, U	< 0.08	ppbv	0.08	AC-058	05-Jul-21
21060324-002	Methyl tert butyl ether	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	Methylcyclohexane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	Methylcyclopentane	K, T, U	< 0.05	ppbv	0.05	AC-058	05-Jul-21
21060324-002	Methylene chloride	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	n-Butane		0.17	ppbv	0.02	AC-058	05-Jul-21
21060324-002	n-Decane	K, T, U	< 0.06	ppbv	0.06	AC-058	05-Jul-21
21060324-002	n-Dodecane	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	n-Heptane	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	n-Hexane	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	n-Octane	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	n-Pentane	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	n-Propylbenzene	K, T, U	< 0.06	ppbv	0.06	AC-058	05-Jul-21
21060324-002	n-Undecane	K, T, U	< 0.5	ppbv	0.5	AC-058	05-Jul-21
21060324-002	Naphthalene	K, T, U	< 0.3	ppbv	0.3	AC-058	05-Jul-21
21060324-002	n-Nonane	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	o-Ethyltoluene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	o-Xylene	K, T, U	< 0.03	ppbv	0.03	AC-058	05-Jul-21
21060324-002	p-Diethylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	05-Jul-21
21060324-002	p-Ethyltoluene	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21
21060324-002	Styrene	K, T, U	< 0.04	ppbv	0.04	AC-058	05-Jul-21

Report certified by: Rebecca Holgate, Account Coordinator

On behalf of: PJ Pretorius, Manager, Analysis and Testing Services

Date: July 22, 2021

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

<b>CLIENT SAMPLE ID</b>	<b>CANISTER ID</b>	<b>Matrix</b>	<b>DATE SAMPLED</b>
PRAMP_842-2021/06/29-Blank	28957	Ambient Air	28-Jun-21 21:00
<b>DESCRIPTION:</b>	NMHC Blank		
<b>REPORT NUMBER:</b>	21060324	<b>REPORT CREATED:</b>	22-Jul-21
		<b>VERSION:</b>	Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
21060324-002	Tetrachloroethylene	K, T, U	< 0.02 ppbv	0.02	AC-058	05-Jul-21
21060324-002	Tetrahydrofuran	K, T, U	< 0.3 ppbv	0.3	AC-058	05-Jul-21
21060324-002	Toluene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Jul-21
21060324-002	trans-1,2-Dichloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	05-Jul-21
21060324-002	trans-1,3-Dichloropropylene	I	0.09 ppbv	0.02	AC-058	05-Jul-21
21060324-002	trans-2-Butene	K, T, U	< 0.03 ppbv	0.03	AC-058	05-Jul-21
21060324-002	trans-2-Pentene	K, T, U	< 0.02 ppbv	0.02	AC-058	05-Jul-21
21060324-002	Trichloroethylene	K, T, U	< 0.02 ppbv	0.02	AC-058	05-Jul-21
21060324-002	Vinyl acetate	K, T, U	< 0.3 ppbv	0.3	AC-058	05-Jul-21
21060324-002	Vinyl chloride	K, T, U	< 0.02 ppbv	0.02	AC-058	05-Jul-21



PO Bag 4000  
Vegreville, Alberta  
Canada T9C 1T4  
(780) 632-8211

## ENVIRONMENTAL ANALYTICAL SERVICES

### TEST REPORT

### Revision History

Order ID	Ver	Date	Reason
21060324	01	22-Jul-21	Report created

## **Methods**

<b>Method</b>	<b>Description</b>
AC-058	Determination of Volatile Organic Compounds in Ambient Air by Gas Chromatography Mass Spectrometry
NA-024	Analysis for Reduced Sulfur Compounds in Air Samples
NA-025	Determination of Light Hydrocarbons (C1C4) in Ambient Air by Gas Chromatography Flame Ionization Detector

## Qualifiers

### Data Qualifier Translation

---

B	Blank contamination; Analyte detected above the method reporting limit in an associated blank
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
J1	Reported value is estimated; Surrogate recoveries limits were exceeded
J2	Reported value is estimated; No known QC criteria for this component
J3	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
J4	Reported value is estimated; The sample matrix interfered with the analysis
K	Off-scale low. Actual value is known to be less than the value given
L	Off-scale high. Actual value is known to be greater than value given
N	Non-target analyte; Tentatively identified compound (using mass spectroscopy)
Q	Sample held beyond the accepted holding time
R	Rejected data; Not suitable for the projects intended use
T	Value reported is less than the laboratory method detection limit
U	Compound was analyzed for but not detected
V	Analyte was detected in both the sample and the associated method blank



PO Bag 4000  
Vegreville, Alberta  
Canada T9C 1T4  
(780) 632-8211

## ENVIRONMENTAL ANALYTICAL SERVICES

### TEST REPORT

Page 16 of 18

### Order Comments





PO Bag 4000  
Vegreville, Alberta  
Canada T9C 1T4  
(780) 632-8211

## ENVIRONMENTAL ANALYTICAL SERVICES

### TEST REPORT

Page 17 of 18

### Sample Comments



PO Bag 4000  
Vegreville, Alberta  
Canada T9C 1T4  
(780) 632-8211

## ENVIRONMENTAL ANALYTICAL SERVICES

### TEST REPORT

Page 18 of 18

### **Result Comments**

*Note:*

- 1. Results relate only to items tested and apply to the sample as received.*
- 2. This report shall not be reproduced, except in full, without the explicit approval of the laboratory.*