

<p>RESULTS: Karla Reesor 403 807 2995 Peace River Area Monitoring Program Committee</p> <p>INVOICE: Office Manager</p>	<p style="text-align: center;">CLIENT SAMPLE ID PRAMP_Reno-20220910</p> <p>MATRIX: Ambient Air</p> <p>CANISTER ID: 32230 PRIORITY: Normal DESCRIPTION: NMHC Trigger</p> <p>DATE SAMPLED: 10-Sep-22 20:30 DATE RECEIVED: 14-Sep-22 REPORT CREATED: 03-Oct-22 REPORT NUMBER: 22090129 VERSION: Version 01</p>
---	--

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-001	1-Butene	K, T, U	< 0.14	ppmv	0.14	NA-025	14-Sep-22
22090129-001	Acetylene	K, T, U	< 0.12	ppmv	0.12	NA-025	14-Sep-22
22090129-001	n-Butane	K, T, U	< 0.3	ppmv	0.3	NA-025	14-Sep-22
22090129-001	cis-2-Butene	K, T, U	< 0.06	ppmv	0.06	NA-025	14-Sep-22
22090129-001	Ethane	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-001	Ethylacetylene	K, T, U	< 0.09	ppmv	0.09	NA-025	14-Sep-22
22090129-001	Ethylene	K, T, U	< 0.10	ppmv	0.10	NA-025	14-Sep-22
22090129-001	Isobutane	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-001	Isobutylene	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-001	Methane		3.2	ppmv	0.1	NA-025	14-Sep-22
22090129-001	n-Propane	K, T, U	< 0.10	ppmv	0.10	NA-025	14-Sep-22
22090129-001	Propylene	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-001	Propyne	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-001	trans-2-Butene	K, T, U	< 0.13	ppmv	0.13	NA-025	14-Sep-22
22090129-001	2,5-Dimethylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-001	2-Ethylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-001	2-Methylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-001	3-Methylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20220910	32230	Ambient Air	10-Sep-22	20:30
DESCRIPTION:	NMHC Trigger			
REPORT NUMBER:	REPORT CREATED:		VERSION:	Version 01
22090129	03-Oct-22			

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
22090129-001	Butyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Carbon disulphide	K, T, U	< 0.2 ppbv	0.2	NA-024	14-Sep-22
22090129-001	Carbonyl sulphide		0.8 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Dimethyl disulphide	K, T, U	< 0.2 ppbv	0.2	NA-024	14-Sep-22
22090129-001	Dimethyl sulphide	K, T, U	< 0.2 ppbv	0.2	NA-024	14-Sep-22
22090129-001	Ethyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Ethyl sulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Hydrogen sulphide	K, T, U	< 0.3 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Isobutyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Isopropyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Methyl mercaptan	K, T, U	< 0.2 ppbv	0.2	NA-024	14-Sep-22
22090129-001	Pentyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	14-Sep-22
22090129-001	Propyl mercaptan	K, T, U	< 0.4 ppbv	0.4	NA-024	14-Sep-22
22090129-001	tert-Butyl mercaptan	K, T, U	< 0.3 ppbv	0.3	NA-024	14-Sep-22
22090129-001	Thiophene/sec-Butyl mercaptan	K, T, U	< 0.2 ppbv	0.2	NA-024	14-Sep-22
22090129-001	1,1,1-Trichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	1,1,2,2-Tetrachloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	1,1,2-Trichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	1,1-Dichloroethane	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	1,1-Dichloroethylene	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	1,2,3-Trimethylbenzene	I	0.13 ppbv	0.07	AC-058	16-Sep-22
22090129-001	1,2,4-Trichlorobenzene	K, T, U	< 0.4 ppbv	0.4	AC-058	16-Sep-22
22090129-001	1,2,4-Trimethylbenzene		0.51 ppbv	0.04	AC-058	16-Sep-22
22090129-001	1,2-Dibromoethane	I	0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	1,2-Dichlorobenzene	I	0.06 ppbv	0.04	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20220910	32230	Ambient Air	10-Sep-22	20:30
DESCRIPTION:	NMHC Trigger			
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01	
22090129	03-Oct-22			

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-001	1,2-Dichloroethane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	1,2-Dichloropropane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	1,3,5-Trimethylbenzene	I	0.14	ppbv	0.04	AC-058	16-Sep-22
22090129-001	1,3-Butadiene	I	0.05	ppbv	0.04	AC-058	16-Sep-22
22090129-001	1,3-Dichlorobenzene	K, T, U	< 0.6	ppbv	0.6	AC-058	16-Sep-22
22090129-001	1,4-Dichlorobenzene	K, T, U	< 0.6	ppbv	0.6	AC-058	16-Sep-22
22090129-001	1,4-Dioxane		2.1	ppbv	0.7	AC-058	16-Sep-22
22090129-001	1-Butene/Isobutylene		1.69	ppbv	0.09	AC-058	16-Sep-22
22090129-001	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.10	ppbv	0.10	AC-058	16-Sep-22
22090129-001	1-Pentene	I	0.12	ppbv	0.04	AC-058	16-Sep-22
22090129-001	2,2,4-Trimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	2,2-Dimethylbutane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	2,3,4-Trimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	2,3-Dimethylbutane	K, T, U	< 0.13	ppbv	0.13	AC-058	16-Sep-22
22090129-001	2,3-Dimethylpentane	I	0.05	ppbv	0.03	AC-058	16-Sep-22
22090129-001	2,4-Dimethylpentane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	2-Methylheptane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	2-Methylhexane	I	0.13	ppbv	0.04	AC-058	16-Sep-22
22090129-001	2-Methylpentane	I	0.10	ppbv	0.03	AC-058	16-Sep-22
22090129-001	3-Methylheptane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	3-Methylhexane	I	0.07	ppbv	0.03	AC-058	16-Sep-22
22090129-001	3-Methylpentane	I	0.12	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Acetone		12.3	ppbv	0.6	AC-058	16-Sep-22
22090129-001	Acrolein		1.4	ppbv	0.4	AC-058	16-Sep-22
22090129-001	Benzene	I	0.19	ppbv	0.04	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20220910	32230	Ambient Air	10-Sep-22	20:30
DESCRIPTION:	NMHC Trigger			
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-001	Benzyl chloride	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-001	Bromodichloromethane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	Bromoform	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Bromomethane	I	0.10	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Carbon disulfide	I	0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Carbon tetrachloride	I	0.08	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Chlorobenzene	I	0.04	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Chloroethane	I	0.04	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Chloroform	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Chloromethane		0.47	ppbv	0.06	AC-058	16-Sep-22
22090129-001	cis-1,2-Dichloroethene		0.18	ppbv	0.03	AC-058	16-Sep-22
22090129-001	cis-1,3-Dichloropropene	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	cis-2-Butene	I	0.05	ppbv	0.04	AC-058	16-Sep-22
22090129-001	cis-2-Pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Cyclohexane	I	0.17	ppbv	0.06	AC-058	16-Sep-22
22090129-001	Cyclopentane		0.79	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Dibromochloromethane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Ethanol		7.2	ppbv	0.7	AC-058	16-Sep-22
22090129-001	Ethyl acetate	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-001	Ethylbenzene	I	0.09	ppbv	0.04	AC-058	16-Sep-22
22090129-001	Freon-11		0.25	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Freon-113	I	0.05	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Freon-114	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	Freon-12		0.39	ppbv	0.04	AC-058	16-Sep-22
22090129-001	Hexachloro-1,3-butadiene	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20220910	32230	Ambient Air	10-Sep-22	20:30
DESCRIPTION:	NMHC Trigger			
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-001	Isobutane		0.50	ppbv	0.04	AC-058	16-Sep-22
22090129-001	Isopentane		1.32	ppbv	0.06	AC-058	16-Sep-22
22090129-001	Isoprene		1.27	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Isopropyl alcohol		1.4	ppbv	0.4	AC-058	16-Sep-22
22090129-001	Isopropylbenzene	I	0.11	ppbv	0.06	AC-058	16-Sep-22
22090129-001	m,p-Xylene	I	0.23	ppbv	0.06	AC-058	16-Sep-22
22090129-001	m-Diethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	m-Ethyltoluene	I	0.10	ppbv	0.04	AC-058	16-Sep-22
22090129-001	Methyl butyl ketone		2.3	ppbv	0.6	AC-058	16-Sep-22
22090129-001	Methyl ethyl ketone		0.9	ppbv	0.4	AC-058	16-Sep-22
22090129-001	Methyl isobutyl ketone	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-001	Methyl methacrylate	K, T, U	< 0.12	ppbv	0.12	AC-058	16-Sep-22
22090129-001	Methyl tert butyl ether	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-001	Methylcyclohexane	I	0.13	ppbv	0.03	AC-058	16-Sep-22
22090129-001	Methylcyclopentane		0.16	ppbv	0.07	AC-058	16-Sep-22
22090129-001	Methylene chloride	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-001	n-Butane		2.49	ppbv	0.03	AC-058	16-Sep-22
22090129-001	n-Decane	K, T, U	< 0.09	ppbv	0.09	AC-058	16-Sep-22
22090129-001	n-Dodecane	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-001	n-Heptane	K, T, U	< 0.06	ppbv	0.06	AC-058	16-Sep-22
22090129-001	n-Hexane	I	0.08	ppbv	0.04	AC-058	16-Sep-22
22090129-001	n-Octane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-001	n-Pentane		0.57	ppbv	0.06	AC-058	16-Sep-22
22090129-001	n-Propylbenzene	I	0.10	ppbv	0.09	AC-058	16-Sep-22
22090129-001	n-Undecane	K, T, U	< 0.7	ppbv	0.7	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-20220910	32230	Ambient Air	10-Sep-22	20:30
DESCRIPTION:	NMHC Trigger			
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
22090129-001	Naphthalene	K, T, U	< 0.4 ppbv	0.4	AC-058	16-Sep-22
22090129-001	n-Nonane	K, T, U	< 0.06 ppbv	0.06	AC-058	16-Sep-22
22090129-001	o-Ethyltoluene	I	0.12 ppbv	0.03	AC-058	16-Sep-22
22090129-001	o-Xylene	I	0.11 ppbv	0.04	AC-058	16-Sep-22
22090129-001	p-Diethylbenzene	I	0.08 ppbv	0.03	AC-058	16-Sep-22
22090129-001	p-Ethyltoluene		0.43 ppbv	0.06	AC-058	16-Sep-22
22090129-001	Styrene		0.30 ppbv	0.06	AC-058	16-Sep-22
22090129-001	Tetrachloroethylene	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	Tetrahydrofuran	K, T, U	< 0.4 ppbv	0.4	AC-058	16-Sep-22
22090129-001	Toluene		0.41 ppbv	0.04	AC-058	16-Sep-22
22090129-001	trans-1,2-Dichloroethylene		84.5 ppbv	0.52	AC-058	16-Sep-22
22090129-001	trans-1,3-Dichloropropylene	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	trans-2-Butene	I	0.14 ppbv	0.04	AC-058	16-Sep-22
22090129-001	trans-2-Pentene	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-001	Trichloroethylene	I	0.12 ppbv	0.03	AC-058	16-Sep-22
22090129-001	Vinyl acetate	K, T, U	< 0.4 ppbv	0.4	AC-058	16-Sep-22
22090129-001	Vinyl chloride	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-Blank	28955	Ambient Air	10-Sep-22	20:30
DESCRIPTION:	NMHC Blank			
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-002	1-Butene	K, T, U	< 0.10	ppmv	0.10	NA-025	14-Sep-22
22090129-002	Acetylene	K, T, U	< 0.08	ppmv	0.08	NA-025	14-Sep-22
22090129-002	n-Butane	K, T, U	< 0.2	ppmv	0.2	NA-025	14-Sep-22
22090129-002	cis-2-Butene	K, T, U	< 0.04	ppmv	0.04	NA-025	14-Sep-22
22090129-002	Ethane	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-002	Ethylacetylene	K, T, U	< 0.06	ppmv	0.06	NA-025	14-Sep-22
22090129-002	Ethylene	K, T, U	< 0.07	ppmv	0.07	NA-025	14-Sep-22
22090129-002	Isobutane	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-002	Isobutylene	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-002	Methane	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-002	n-Propane	K, T, U	< 0.07	ppmv	0.07	NA-025	14-Sep-22
22090129-002	Propylene	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-002	Propyne	K, T, U	< 0.1	ppmv	0.1	NA-025	14-Sep-22
22090129-002	trans-2-Butene	K, T, U	< 0.09	ppmv	0.09	NA-025	14-Sep-22
22090129-002	2,5-Dimethylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	2-Ethylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-002	2-Methylthiophene	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-002	3-Methylthiophene	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Butyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Carbon disulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-002	Carbonyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Dimethyl disulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-002	Dimethyl sulphide	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-002	Ethyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Ethyl sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22

Report certified by: Rebecca Dasilva, Account Coordinator

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	PRAMP_Reno-Blank	CANISTER ID	28955	Matrix	Ambient Air	DATE SAMPLED	10-Sep-22 20:30
DESCRIPTION:	NMHC Blank						
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION:	Version 01		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-002	Hydrogen sulphide	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Isobutyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Isopropyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Methyl mercaptan	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-002	Pentyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	14-Sep-22
22090129-002	Propyl mercaptan	K, T, U	< 0.4	ppbv	0.4	NA-024	14-Sep-22
22090129-002	tert-Butyl mercaptan	K, T, U	< 0.3	ppbv	0.3	NA-024	14-Sep-22
22090129-002	Thiophene/sec-Butyl mercaptan	K, T, U	< 0.2	ppbv	0.2	NA-024	14-Sep-22
22090129-002	1,1,1-Trichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	1,1,2,2-Tetrachloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	1,1,2-Trichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	1,1-Dichloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	1,1-Dichloroethylene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	1,2,3-Trimethylbenzene	K, T, U	< 0.05	ppbv	0.05	AC-058	16-Sep-22
22090129-002	1,2,4-Trichlorobenzene	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	1,2,4-Trimethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	1,2-Dibromoethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	1,2-Dichlorobenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	1,2-Dichloroethane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	1,2-Dichloropropane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	1,3,5-Trimethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	1,3-Butadiene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	1,3-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-002	1,4-Dichlorobenzene	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-002	1,4-Dioxane	K, T, U	< 0.5	ppbv	0.5	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	PRAMP_Reno-Blank	CANISTER ID	28955	Matrix	Ambient Air	DATE SAMPLED	10-Sep-22 20:30
DESCRIPTION:	NMHC Blank						
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION:	Version 01		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-002	1-Butene/Isobutylene		2.09	ppbv	0.06	AC-058	16-Sep-22
22090129-002	1-Hexene/2-Methyl-1-pentene	K, T, U	< 0.07	ppbv	0.07	AC-058	16-Sep-22
22090129-002	1-Pentene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	2,2,4-Trimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	2,2-Dimethylbutane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	2,3,4-Trimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	2,3-Dimethylbutane	K, T, U	< 0.09	ppbv	0.09	AC-058	16-Sep-22
22090129-002	2,3-Dimethylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	2,4-Dimethylpentane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	2-Methylheptane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	2-Methylhexane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	2-Methylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	3-Methylheptane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	3-Methylhexane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	3-Methylpentane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Acetone	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-002	Acrolein	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	Benzene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Benzyl chloride	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	Bromodichloromethane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Bromoform	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Bromomethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Carbon disulfide	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Carbon tetrachloride	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Chlorobenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	PRAMP_Reno-Blank	CANISTER ID	28955	Matrix	Ambient Air	DATE SAMPLED	10-Sep-22 20:30
DESCRIPTION:	NMHC Blank						
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION:	Version 01		

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-002	Chloroethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Chloroform	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Chloromethane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-002	cis-1,2-Dichloroethene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	cis-1,3-Dichloropropene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	cis-2-Butene		0.15	ppbv	0.03	AC-058	16-Sep-22
22090129-002	cis-2-Pentene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Cyclohexane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-002	Cyclopentane	I	0.07	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Dibromochloromethane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Ethanol	K, T, U	< 0.5	ppbv	0.5	AC-058	16-Sep-22
22090129-002	Ethyl acetate	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	Ethylbenzene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Freon-11	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Freon-113	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Freon-114	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Freon-12	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Hexachloro-1,3-butadiene	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	Isobutane		0.13	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Isopentane		0.44	ppbv	0.04	AC-058	16-Sep-22
22090129-002	Isoprene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Isopropyl alcohol	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	Isopropylbenzene	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-002	m,p-Xylene	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-002	m-Diethylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED	
PRAMP_Reno-Blank	28955	Ambient Air	10-Sep-22	20:30
DESCRIPTION:	NMHC Blank			
REPORT NUMBER:	22090129	REPORT CREATED:	03-Oct-22	VERSION: Version 01

Lab ID	Parameter	Qualifier	Result	Units	RDL	Method	Analysis Date
22090129-002	m-Ethyltoluene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Methyl butyl ketone	K, T, U	< 0.4	ppbv	0.4	AC-058	16-Sep-22
22090129-002	Methyl ethyl ketone	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	Methyl isobutyl ketone	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	Methyl methacrylate	K, T, U	< 0.08	ppbv	0.08	AC-058	16-Sep-22
22090129-002	Methyl tert butyl ether	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	Methylcyclohexane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	Methylcyclopentane	K, T, U	< 0.05	ppbv	0.05	AC-058	16-Sep-22
22090129-002	Methylene chloride	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	n-Butane		5.05	ppbv	0.02	AC-058	16-Sep-22
22090129-002	n-Decane	K, T, U	< 0.06	ppbv	0.06	AC-058	16-Sep-22
22090129-002	n-Dodecane	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	n-Heptane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-002	n-Hexane	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	n-Octane	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	n-Pentane		0.72	ppbv	0.04	AC-058	16-Sep-22
22090129-002	n-Propylbenzene	K, T, U	< 0.06	ppbv	0.06	AC-058	16-Sep-22
22090129-002	n-Undecane	K, T, U	< 0.5	ppbv	0.5	AC-058	16-Sep-22
22090129-002	Naphthalene	K, T, U	< 0.3	ppbv	0.3	AC-058	16-Sep-22
22090129-002	n-Nonane	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-002	o-Ethyltoluene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	o-Xylene	K, T, U	< 0.03	ppbv	0.03	AC-058	16-Sep-22
22090129-002	p-Diethylbenzene	K, T, U	< 0.02	ppbv	0.02	AC-058	16-Sep-22
22090129-002	p-Ethyltoluene	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22
22090129-002	Styrene	K, T, U	< 0.04	ppbv	0.04	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca



PO Bag 4000
 Vegreville, Alberta
 Canada T9C 1T4
 (780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

CLIENT SAMPLE ID	CANISTER ID	Matrix	DATE SAMPLED
PRAMP_Reno-Blank	28955	Ambient Air	10-Sep-22 20:30
DESCRIPTION:	NMHC Blank		
REPORT NUMBER:	REPORT CREATED:	VERSION:	Version 01
22090129	03-Oct-22		

Lab ID	Parameter	Qualifier	Result Units	RDL	Method	Analysis Date
22090129-002	Tetrachloroethylene	K, T, U	< 0.02 ppbv	0.02	AC-058	16-Sep-22
22090129-002	Tetrahydrofuran	K, T, U	< 0.3 ppbv	0.3	AC-058	16-Sep-22
22090129-002	Toluene	K, T, U	< 0.03 ppbv	0.03	AC-058	16-Sep-22
22090129-002	trans-1,2-Dichloroethylene	K, T, U	< 0.06 ppbv	0.06	AC-058	16-Sep-22
22090129-002	trans-1,3-Dichloropropylene	K, T, U	< 0.02 ppbv	0.02	AC-058	16-Sep-22
22090129-002	trans-2-Butene		0.37 ppbv	0.03	AC-058	16-Sep-22
22090129-002	trans-2-Pentene	K, T, U	< 0.02 ppbv	0.02	AC-058	16-Sep-22
22090129-002	Trichloroethylene	K, T, U	< 0.02 ppbv	0.02	AC-058	16-Sep-22
22090129-002	Vinyl acetate	K, T, U	< 0.3 ppbv	0.3	AC-058	16-Sep-22
22090129-002	Vinyl chloride	K, T, U	< 0.02 ppbv	0.02	AC-058	16-Sep-22

Report certified by: Graham Knox, Admin. & Ops. Supervisor

On behalf of: A. Prefontaine, Manager, Chemical Testing

Date: October 3, 2022

Inquiries: (780) 632 8455

E-mail: EAS.Results@innotechalberta.ca



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 13 of 18

Revision History

Order ID	Ver	Date	Reason
22090129	01	03-Oct-22	Report created

Methods

Method	Description
AC-058	Determination of Volatile Organic Compounds in Ambient Air by Gas Chromatography Mass Spectrometry
NA-024	Analysis for Reduced Sulfur Compounds in Air Samples
NA-025	Determination of Light Hydrocarbons (C1C4) in Ambient Air by Gas Chromatography Flame Ionization Detector

Qualifiers

Data Qualifier Translation

B	Blank contamination; Analyte detected above the method reporting limit in an associated blank
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
J1	Reported value is estimated; Surrogate recoveries limits were exceeded
J2	Reported value is estimated; No known QC criteria for this component
J3	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
J4	Reported value is estimated; The sample matrix interfered with the analysis
K	Off-scale low. Actual value is known to be less than the value given
L	Off-scale high. Actual value is known to be greater than value given
N	Non-target analyte; Tentatively identified compound (using mass spectroscopy)
Q	Sample held beyond the accepted holding time
R	Rejected data; Not suitable for the projects intended use
T	Value reported is less than the laboratory method detection limit
U	Compound was analyzed for but not detected
V	Analyte was detected in both the sample and the associated method blank



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 16 of 18

Order Comments

22090129

Unknowns to be reported. Send invoice to pramptech@prampairshed.ca



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 17 of 18

Sample Comments



PO Bag 4000
Vegreville, Alberta
Canada T9C 1T4
(780) 632-8211

ENVIRONMENTAL ANALYTICAL SERVICES

TEST REPORT

Page 18 of 18

Result Comments

Note:

- 1. Results relate only to items tested and apply to the sample as received.*
- 2. This report shall not be reproduced, except in full, without the explicit approval of the laboratory.*