



Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

F.A.S CANISTER

Sample ID: 23070165-001 Priority: Normal



Customer ID: PRAMP  
 Cust Samp ID: PRAMP\_842b-2023-07-12



Date Received- Lab Use Only  
 JUL 13 2023

**Client Contact Details:**

Contact: Karla Ressor, Michael Bisaga/ Lily Lin  
 Company: PRAMP Airshed  
 PO#:  842b Station  986c Station  Reno Station  
 Address:  842b (Lat. 56.27406N, Long. 116.98129W)  
 986c (Lat. 56.36988N, Long. 116.925636W)  
 Reno (Lat. 55.86936N, Long. 117.05739W)  
 Telephone: 403-8072995, 780-2667068/587-2252248  
 Email: karla@prampairshed.ca, pramptech@prampairshed.ca

**RUSH (Surcharge)**

Invoice Instructions:  
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
pramptech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to  
karla@prampairshed.ca and pramptech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-632-8403 Cell: 780-632-1519  
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP station_yyyyymmdd) <small>(Find Sample ID from BV's email)</small>	Canister ID <small>(Find canister ID from canister tag)</small>	Sample Description	Date/Time Canister Triggered <small>(Find Date/Time from BV's email)</small>		Analysis Requested
			Date <small>(yyyy/mm/dd)</small>	Time (24 Hr) <small>(MST)</small>	
PRAMP_842b-2023-07-12	28905	<input checked="" type="checkbox"/> Methane Trigger <input checked="" type="checkbox"/> NMHC Trigger <input type="checkbox"/> Methane Blank <input type="checkbox"/> NMHC Blank <input type="checkbox"/> Expired Canister – No further analysis is required.	2023-07-07	0355	* C1C4 Air, VOC Full, RSC Air * Unknowns to be reported * Carbon Isotopic Analysis (if sample is collected from Methane trigger)
PRAMP_986c-					
PRAMP_Reno-					

Sample Collection:

Collected By JM (Name) of PRAMP (Company) on 2023-07-12 (Date/Time) 1038 (Date/Time) (MST).




Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

**F A S C ANISTER**

Sample ID: 23070165-002 Priority: Normal



Customer ID: PRAMP  
 Cust Samp ID: PRAMP\_842b-2023-07-12 Blank



**Client Contact Details:**

Contact: Karla Ressor, Michael Bisaga/ Lily Lin

Company: PRAMP Airshed

PO#:  842b Station  986c Station  Reno Station

Address:  842b (Lat. 56.27406N, Long. 116.98129W)  
 986c (Lat. 56.36988N, Long. 116.925636W)  
 Reno (Lat. 55.86936N, Long. 117.05739W)

Telephone: 403-8072995, 780-2667068/587-2252248

Email: karla@prampairshed.ca, pramptech@prampairshed.ca

**RUSH (Surcharge)**

Invoice Instructions:  
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
 pramptech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to  
 karla@prampairshed.ca and pramptech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-632-8403 Cell: 780-632-1519  
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP_station_yyyymmdd) (Find Sample ID from BV's email)	Canister ID (Find canister ID from canister tag)	Sample Description	Date/Time Canister Triggered		Analysis Requested
			Date (yyyy/mm/dd)	Time (24 Hr) (MST)	
PRAMP_842b- <u>2023-07-12</u>	<u>28955</u>	<input type="checkbox"/> Methane Trigger <input type="checkbox"/> NMHC Trigger <input checked="" type="checkbox"/> Methane Blank <input checked="" type="checkbox"/> NMHC Blank <input type="checkbox"/> Expired Canister – No further analysis is required.	<u>2023-07-07</u>	<u>0355</u>	* C1C4 Air, VOC Full, RSC Air * Unknowns to be reported * Carbon Isotopic Analysis (if sample is collected from Methane trigger)
PRAMP_986c- _____	_____	_____	_____	_____	_____
PRAMP_Reno- _____	_____	_____	_____	_____	_____

Sample Collection: \_\_\_\_\_

Collected By JM (Name) of PRAMP (Company) on 2023-07-05 1038 (Date/Time) (MST).



Canister ID: 28905

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: 1504 on: MAR 08 2023

Evacuated: MAY 17 2023 Recertified: \_\_\_\_\_

(Use within: 3 months from evacuation or recertification date)

Laboratory Contact Number: 780-632-8403

Sample ID: 842B-NMHC-Sample 2023-07-12

Sampled By: JM

Starting Vacuum:

-27.1 "Hg

End Vacuum: KG

-2 "Hg/psig



Canister ID: 28955

This cleaned canister meets or exceeds TO-15 Method Specifications

Proofed by: 1504 on: MAR 08 2023

Evacuated: MAY 17 2023 Recertified: \_\_\_\_\_

(Use within: 3 months from evacuation or recertification date)

Laboratory Contact Number: 780-632-8403

Sample ID: 842B-NMHC-Blank-2023-07-12

Sampled By: JM

Starting Vacuum:

-27.1 "Hg

End Vacuum:

-27 "Hg/psig

Sample ID: 23070165-001 Priority: Normal



Customer ID: PRAMP

Cust Samp ID: PRAMP\_842b-2023-07-12