



Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

**EAS CANISTER  
 CHAIN OF CUSTODY FORM**

Sample ID: 23090306-001 Priority: Normal



Customer ID:

PRAMP

Cust Samp ID: 842B-NMHC-Sample092020231440

Date Received - Lab Use Only

**RECEIVED**  
 SEP 27 2023

**Client Contact Details:**

Contact: Karla Ressor, Michael Bisagal / Lily Lin  
 Company: PRAMP Airshed  
 PO#:  842-B Station  986-C Station  Reno-B Station  
 Address:  842-B (Lat. 56.27406N, Long. 116.98129W)  
 986-C (Lat. 56.36988N, Long. 116.925636W)  
 Reno-B (Lat. 55.890868 N, Long. -117.137080 W)  
 Telephone: 403-8072995, 780-2667068/587-2252248  
 Email: karla@prampairshed.ca, prampitech@prampairshed.ca

**INVOICE INSTRUCTIONS**

Invoice Instructions:  
 Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
 prampitech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to  
 karla@prampairshed.ca and prampitech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519  
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP station yyyymmdd) <small>(Find Sample ID from BV's email)</small>	Canister ID (Find canister ID from canister tag)	Sample Description	Date/Time Canister Triggered		Analysis Requested
			Date (yyyy/mm/dd)	Time (24 Hr) (MST)	
PRAMP_842-B-20230920	31823	<input checked="" type="checkbox"/> NMHC Trigger <input type="checkbox"/> NMHC Blank <input type="checkbox"/> Expired Canister - No further analysis is required <input type="checkbox"/> Not Valid Sample - No further analysis is required.	20230920	1440	* AIR C1C4, AIR VOC, AIR RSC * Unknown to be reported * Carbon Isotopic Analysis (if sample is collected from Methane trigger)
PRAMP_986-C-_____	_____				
PRAMP_Reno-B-_____	_____				

Sample Collection:

Collect By JM (Name) of PRAMP (Company) on 09252023 1435 (Date/Time) (MST).



Highway 16A & 75 Street  
 PO Bag 4000  
 Vegreville, AB, T9C 1T4  
 Environmental Analytical Services  
 Phone: (780) 632-8403 Fax: (780) 632-8620

**EAS CANISTER  
 CHAIN OF CUSTODY FORM**



Sample ID: 23090306-002 Priority: Normal

Customer ID: PRAMP  
 Cust Samp ID: 842B-NMHC-Blank092020231440

Date Received - Lab

**RECEIVED**

SEP 27 2023

**Client Contact Details:**

Contact: Karla Ressor, Michael Bisaga/ Lily Lin  
 Company: PRAMP Airshed  
 PO#:  842-B Station  986-C Station  Reno-B Station  
 Address:  842-B (Lat. 56.27406N, Long. 116.98129W)  
 986-C (Lat. 56.36988N, Long. 116.925636W)  
 Reno-B (Lat. 55.890868 N, Long. -117.137080 W)  
 Telephone: 403-8072995, 780-2667068/587-2252248  
 Email: karla@prampairshed.ca, prampitech@prampairshed.ca

**Invoice Instructions:**

Send to: officemanager@prampairshed.ca, karla@prampairshed.ca,  
 prampitech@prampairshed.ca Attention: PRAMP Office Manager  
 Any correspondence related to canister analysis, send the information to  
 karla@prampairshed.ca and prampitech@prampairshed.ca

InnoTech Contact: Graham Knox Phone: 780-6328403 Cell: 780-6321519  
 Email: Graham.Knox@innotechalberta.ca

Sample ID (PRAMP station_yyyyymmdd) (Find Sample ID from BV's email)	Canister ID (Find canister ID from canister tag)	Sample Description	Date/Time Canister Triggered		Analysis Requested
			Date (yyyy/mm/dd)	Time (24 Hr) (MST)	
PRAMP_842-B-20230920	28941	<input type="checkbox"/> NMHC Trigger <input checked="" type="checkbox"/> NMHC Blank <input type="checkbox"/> Expired Canister - No further analysis is required <input type="checkbox"/> Not Valid Sample - No further analysis is required.	20230920	1440	* AIR C1C4, AIR VOC, AIR RSC * Unknown to be reported * Carbon Isotopic Analysis (if sample is collected from Methane trigger)
PRAMP_986-C-_____	_____				
PRAMP_Reno-B-_____	_____				


**Sample Collection:**


Collect By JM (Name) of PRAMP (Company) on 09252023 1435 (Date/Time) (MST).

Sample ID: 23090306-002 Priority: Normal



Customer ID: PRAMP  
Cust Samp ID: 842B-NMHC-Blank092020231440

 <p>Canister ID: <u>31823</u></p> <p>This cleaned canister meets or exceeds TO-15 Method Specifications</p> <p>Proofed by: <u>ISR</u> on: <u>JUN 08 2023</u></p> <p>Evacuated: <u>JUL 04 2023</u> Recertified: _____</p> <p>(Use within: 3 months from evacuation or recertification date)</p> <p>Laboratory Contact Number: 780-632-8403</p>	Sample ID: <u>842B-NMHC Sample 092020231440</u>	
	Sampled By: <u>JM</u>	
	Starting Vacuum: <u>-27.1</u> "Hg	End Vacuum: <u>MMW</u> <u>0</u> "Hg/psig

 <p>Canister ID: <u>28941</u></p> <p>This cleaned canister meets or exceeds TO-15 Method Specifications</p> <p>Proofed by: <u>ISR</u> on: <u>APR 21 2023</u></p> <p>Evacuated: <u>MAY 12 2023</u> Recertified: <u>JUL 10 2023</u></p> <p>(Use within: 3 months from evacuation or recertification date)</p> <p>Laboratory Contact Number: 780-632-8403</p>	Sample ID: <u>842B-NMHC Blank 092020231440</u>	
	Sampled By: <u>JM</u>	
	Starting Vacuum: <u>-27.1</u> "Hg	End Pressure: <u>MMW</u> <u>27</u> "Hg/psig